



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY



INDEX BRAKE DISC

BUICK	3-5
CADILLAC	6-8
CHEVROLET	9-11
DODGE	12-13
FORD	14-18
GMC	19-21
HONDA	22-23
HYUNDAI	24-27
INFINITI	28
ISUZU	29
JEEP	30
KIA	31
LINCOLN	32-33
MERCEDES BENZ	34-35
MG	36
OPEL	37
RAM	38-39
SAAB	40
SSANG YONG	41-42
SUBARU	43
SUZUKI	44
TOYOTA	45-47
VAUXHALL	48

new to range

BRAKE DISCS


JUNE 2025

BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13579153



10-51631

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
337	50.9	30	27	67.4	120	5+1

BUICK

MODEL	START Y.	END Y.
Regal	2011	2017
LaCrosse	2010	2016
Allure	2010	



new to range

BRAKE DISCS

JUNE 2025

www.aydtr.com

4


BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13514473



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51648

MATERIAL
TYPE-1

WEIGHT
7,5 KG

BALANCING
100 %



10-51648

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	48	23	20	67.5	120	6+6

BUICK

MODEL	START Y.	END Y.
ENCLAVE	2018	2024



new to range

BRAKE DISCS

JUNE 2025


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13546861



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51657

MATERIAL
TYPE-1

WEIGHT
11.69 KG

BALANCING
100 %



10-51657

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	51	30	27	67.5	120	6+6

BUICK

MODEL	START Y.	END Y.
ENCLAVE	2018	2024




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13507408



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51648

MATERIAL
TYPE-1

WEIGHT
7,5 KG

BALANCING
100 %



10-51648

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	48	23	20	67.5	120	6+6

CADILLAC

MODEL	START Y.	END Y.
XT5	2017	
XT6	2020	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13546861 / 13526769 / 13536149



10-51657

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	51	30	27	67.5	120	6+6

CADILLAC

MODEL	START Y.	END Y.
XT5	2016/05	
XT6 (NX26)	2019/01	



new to range

BRAKE DISCS

JUNE 2025

www.aydtr.com

8


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
84865905



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51658

MATERIAL
TYPE-1

WEIGHT
18,71 KG

BALANCING
100 %



10-51658

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
410	55.2	32	30	78.65	139.7	6+3

CADILLAC

MODEL	START Y.	END Y.
Escalade	2021	2025




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13579153



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51631

MATERIAL
TYPE-1

WEIGHT
10,96 KG

BALANCING
100 %



10-51631

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
337	50.9	30	27	67.4	120	5+1

CHEVROLET

MODEL	START Y.	END Y.
Camaro	2010	
Impala	2014	
Malibu	2013	
Equinox	2010	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13516726 / 13592624



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51648

MATERIAL
TYPE-1

WEIGHT
7,5 KG

BALANCING
100 %



10-51648

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	48	23	20	67.5	120	6+6

CHEVROLET

MODEL	START Y.	END Y.
TRAVERSE	2017/07	



new to range

BRAKE DISCS

JUNE 2025

www.aydtr.com

11


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
84126253 / 84865905 / 84879622



10-51658

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
410	55.2	32	30	78.65	139.7	6+3

CHEVROLET

MODEL	START Y.	END Y.
Camaro	2010	
Impala	2014	
Tahoe	2021	
Suburban	2021	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68184337AA / 68184337AB /
68368069AA



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51639

MATERIAL
TYPE-1

WEIGHT
14,38 KG

BALANCING
100 %



10-51639

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
370	56.6	32	30.5	72.6	115	5

DODGE

MODEL	START Y.	END Y.
CHARGER	2010/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
68415392AA



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51640

MATERIAL
TYPE-1

WEIGHT
20.17 KG

BALANCING
100 %



10-51640

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
390	110.8	39	37.4	125	170	10

DODGE

MODEL	START Y.	END Y.
RAM 4500	2008	2010
RAM 5500	2008	2010




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
LK4Z1125C / LK4Z1125B /
LK4Z1125A


10-51649
Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	61.75	33	30	102.1	132	6

FORD

MODEL	START Y.	END Y.
Transit-150	2020	2024
Transit-250	2020	2024
Transit-350	2020	2024




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
EJ7Z1125C / EJ7Z1125B / EJ7Z1125A



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51656

MATERIAL
TYPE-1

WEIGHT
10,5 KG

BALANCING
100 %



10-51656

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
335	48.8	25	23	63.55	108	5

FORD

MODEL	START Y.	END Y.
FOCUS III	2010/07	2020/02
FOCUS III Turnier	2010/07	2020/02



new to range

BRAKE DISCS

JUNE 2025


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
KV6Z1125A



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51659

MATERIAL
TYPE-1

WEIGHT
8,95 KG

BALANCING
100 %



10-51659

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	48.8	25	23	63.55	107.95	5

FORD

MODEL	START Y.	END Y.
Transit Connect	2018	2023




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
KV6Z2C026A



10-51660

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	50.7	10.8	9	63.6	107.95	5

FORD

MODEL	START Y.	END Y.
Transit Connect	2018	2023




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
L1MZ1125B / L1MZ1125C



10-51661

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
363	56.8	32	30.5	71.1	114.3	5

FORD

MODEL	START Y.	END Y.
Explorer	2020	2025
Police Interceptor Utility	2020	2024



new to range

BRAKE DISCS

JUNE 2025

www.aydtr.com


19

BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13579153



10-51631

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
337	50.9	30	27	67.4	120	5+1

GMC

MODEL	START Y.	END Y.
TERRAIN	2010	2017




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13514473 / 13507408



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51648

MATERIAL
TYPE-1

WEIGHT
7,5 KG

BALANCING
100 %



10-51648

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	48	23	20	67.5	120	6+6

GMC

MODEL	START Y.	END Y.
ACADIA	2017	2023



new to range

BRAKE DISCS


JUNE 2025

BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
84865905



10-51658

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
410	55.2	32	30	78.65	139.7	6+3

GMC

MODEL	START Y.	END Y.
Yukon	2021	2025
Yukon XL	2021	2025




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
45251TL0G51 / 45251TL0G50



10-51632

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	47.2	32	30	64.15	114.3	5+4

HONDA

MODEL	START Y.	END Y.
ACCORD IX Coupe	2012/09	
ACCORD IX Saloon (CR)	2012/09	
ACCORD VIII (CP)	2007/09	
ACCORD VIII (CU)	2008/04	
ACCORD VIII Estate (CW)	2008/07	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
45251SJCA50



10-51654

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	47.4	28	26	70.15	120	5+4

HONDA

MODEL	START Y.	END Y.
RIDGELINE (YK)	2005/03	2014/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
584114H300



10-51630

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
324	82.5	18	14	96.3	139.7	6+2

HYUNDAI

MODEL	START Y.	END Y.
H-1 / STAREX Bus (A1)	1997/06	
H-1 Cargo (TQ)	2007/09	
H-1 Platform/Chassis	2000/06	2006/10
H-1 Travel (TQ)	2007/09	
H-1 Van (A1)	1997/10	2008/04




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
58411S1300



10-51647

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	33.5	11	9	69	114.3	5+3

HYUNDAI

MODEL	START Y.	END Y.
PALISADE (LX2)	2018/12	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712L0000



10-51653

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	48.3	25	23	69	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
SONATA VIII (DN8)	2019/03	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712AA000



10-51655

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	48.3	25	23	69	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
ELANTRA VII Saloon (CN7)	2020/03	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
432065NA0A



10-51629

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
308	47	16	14	68	114.3	5

INFINITI

MODEL	START Y.	END Y.
QX50 II	2017/11	



new to range

BRAKE DISCS

JUNE 2025


BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
8983767540



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51624

MATERIAL
TYPE-1

WEIGHT
9.91 KG

BALANCING
100 %



10-51624

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	61	30	28	101	139.7	6+8

ISUZU

MODEL	START Y.	END Y.
D-MAX III (TFR, TFS)	2019/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68437269AA



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51662
MATERIAL
TYPE-1
WEIGHT
15,01 KG
BALANCING
100 %



10-51662

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
378	67.5	30	28.4	78.5	139.7	6+4

JEEP

MODEL	START Y.	END Y.
GRAND WAGONEER (WS)	2022/01	
WAGONEER (WS)	2022/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
51712L0000



10-51653

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305	48.3	25	23	69	114.3	5+2

KIA

MODEL	START Y.	END Y.
K5	2021	2023




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
EJ7Z1125B / EJ7Z1125A



10-51656

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
335	48.8	25	23	63.55	108	5

LINCOLN

MODEL	START Y.	END Y.
MKC	2014/03	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
L1MZ1125B



10-51661

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
363	56.8	32	30.5	71.1	114.3	5

LINCOLN

MODEL	START Y.	END Y.
Aviator	2020	2024




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1664210912 / 1664211600 /
1664210312



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51565

MATERIAL
TYPE-1

WEIGHT
15.09 KG

BALANCING
100 %



10-51565

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
375	54.5	36	33.4	67	112	5+3

MERCEDES-BENZ

MODEL	START Y.	END Y.
GL-CLASS (X166)	2012/07	2015/12
GLE (W166)	2015/04	2018/10
GLE Coupe (C292)	2015/03	2019/10
GLS (X166)	2015/11	2019/04
M-CLASS (W166)	2011/06	2015/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
246423081207 / 2464230812


AYD[®]

AUTOMOTIVE INDUSTRY

10-51625

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	42.6	22	19.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
A-CLASS (W176)	2012/06	2018/05
B-CLASS Sports Tourer (W246, W242)	2011/10	2018/12
CLA Coupe (C117)	2013/01	2019/03
CLA Shooting Brake (X117)	2015/01	2019/03
GLA-CLASS (X156)	2013/12	2022/05




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
10266048



10-51623

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	43.7	22	20	64.1	100	10+2

MG

MODEL	START Y.	END Y.
MG ZS SUV	2017/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
13579153 / 13576781 / 13502215



10-51631

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
337	50.9	30	27	67.4	120	5+1

OPEL

MODEL	START Y.	END Y.
INSIGNIA A (G09)	2008/07	2017/03
INSIGNIA A Country Tourer (G09)	2008/07	2017/03
INSIGNIA A Saloon (G09)	2008/07	2017/03
INSIGNIA A Sports Tourer (G09)	2008/07	2017/03




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68415392AA / 52013842AA



10-51640

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
390	110.8	39	37.4	125	170	10

RAM

MODEL	START Y.	END Y.
4500	2011	2018
5500	2011	2018




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
68437269AA



10-51662

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
378	67.5	30	28.4	78.5	139.7	6+4

RAM

MODEL	START Y.	END Y.
1500	2021	2025



new to range

BRAKE DISCS


JUNE 2025

BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13576781



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51631

MATERIAL
TYPE-1

WEIGHT
10,96 KG

BALANCING
100 %



10-51631

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
337	50.9	30	27	67.4	120	5+1

SAAB

MODEL	START Y.	END Y.
9-5 (YS3G)	2010/01	2012/01




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4144136000 / 4144136001



10-51628

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	56.5	28	26	85	130	5+2

SSANGYONG

MODEL	START Y.	END Y.
MUSSO (QK)	2018/01	
MUSSO GRAND	2019/01	
REXTON (Y400, Y450)	2017/07	
REXTON VAN (Y400)	2017/07	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4840136100



10-51635

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	44.4	20	18.4	85	130	5+2

SSANGYONG

MODEL	START Y.	END Y.
REXTON (Y400, Y450)	2017/07	
REXTON VAN (Y400)	2017/07	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
26700VA000



10-51650

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
286	63.3	10	8.5	58	114.3	5+3

SUBARU

MODEL	START Y.	END Y.
IMPREZA Saloon (GJ_)	2011/07	
WRX Saloon (GJ)	2011/07	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
5561177K01 / 5561177K00 /
5561177K00000



10-51626

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
308	57	16	14	62	114.3	5+3

SUZUKI

MODEL	START Y.	END Y.
GRAND VITARA II (JT. TE. TD)	2005/04	
XL7 (DA. DB)	2006/09	2009/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351247060



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51633

MATERIAL
TYPE-1

WEIGHT
5.28 KG

BALANCING
100 %



10-51633

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255	49.3	25	22	55	100	5+2

TOYOTA

MODEL	START Y.	END Y.
PRIUS (_W5_)	2015/09	2022/12
PRIUS PHV (_W52_)	2016/01	2022/12




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4243102330



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51638

MATERIAL
TYPE-1

WEIGHT
3.41 KG

BALANCING
100 %



10-51638

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
270	33.5	9	7.5	62	114.3	5+2

TOYOTA

MODEL	START Y.	END Y.
COROLLA Saloon (_E21_)	2019/01	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
42431F4020



10-51652

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
292	51	11	9.5	62.05	114.3	5+2

TOYOTA


MODEL	START Y.	END Y.
C-HR (_X1_)	2016/10	
C-HR VAN (_X1_)	2016/10	



BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

 OE:
569335

10-51631

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
337	50.9	30	27	67.4	120	5+1

VAUXHALL

MODEL	START Y.	END Y.
INSIGNIA Mk I (A) Country Tourer (G09)	2008/07	2017/05
INSIGNIA Mk I (A) Hatchback (G09)	2008/07	2017/05
INSIGNIA Mk I (A) Saloon (G09)	2008/07	2017/05
INSIGNIA Mk I (A) Sports Tourer (G09)	2008/07	2017/05

