

new to range

SPEED TO MARKET SECOND TO NONE

AYD[®]
AUTOMOTIVE INDUSTRY



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

www.aydtr.com



FEBRUARY 2023

INDEX

AUDI	3-6
BMW	7-9
BUICK	10
CHEVROLET	11-12
CITROEN	13-15
DAEWOO	16
DAIHATSU	17
FORD	18-19
HONDA	20
HYUNDAI	21-22
INFINITI	23-24
ISUZU	25
KIA	26-28
LADA	29
LAND ROVER	30
LINCOLN	31
MAZDA	32
MERCEDES-BENZ	33-39
MITSUBISHI	40-41
NISSAN	42-44
PEUGEOT	45-46
PONTIAC	48
RENAULT	49
SAAB	50
SATURN	51
SEAT	52-53
SKODA	54
SUBARU	55
SUZUKI	56
TOYOTA	57-60
VOLKSWAGEN	61-62


BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1J0615601D

10-50765



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50765

MATERIAL
TYPE-1

WEIGHT
2,71 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
239	33.45	9	7	65	100	5+1

AUDI

MODEL	START Y.	END Y.
A3 (8L1)	1996/09	2006/09
TT (8N3)	1998/10	2006/12
TT Roadster (8N9)	1999/10	2006/12




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
443615601

10-50767



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
244.9	59.35	10	8	68	108	4

AUDI

MODEL	START Y.	END Y.
100 C3 Avant (445, 446)	1982/08	1990/11
100 C3 Saloon (443, 444)	1982/08	1991/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
8E0615301AD
8D0615301K

10-50826



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50826

MATERIAL
TYPE-1

WEIGHT
10,22 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	46.3	30	28	68	112	5+1

AUDI

MODEL	START Y.	END Y.
A4 B6 Convertible (8H7)	2002/01	2009/12
A4 B7 (8EC)	2004/11	2008/06
A4 B7 Avant (8ED)	2004/11	2008/06




BRAKE DISC

- Front Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
811615301C
823615301

10-50864



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
238.8	38.65	10	8	65	100	4+1

AUDI

MODEL	START Y.	END Y.
80 B1 Saloon (80, 82)	1972/05	1978/07
80 B2 Saloon (811, 813, 814, 819, 853)	1978/08	1987/03




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34116868938
34116771986
34116886477

10-50821



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50821

MATERIAL
TYPE-1

WEIGHT
12,23 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
348	62.2	30	28.4	75	120	5+1

BMW

MODEL	START Y.	END Y.
X5 (E70)	2006/02	2013/07
X5 (F15, F85)	2013/08	2018/07
X6 (E71, E72)	2007/06	2014/07
X6 (F16, F86)	2014/08	2019/07




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34216767060
34211164175
34211164840

10-50822



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50822

MATERIAL
TYPE-1

WEIGHT
5,79 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298	60.95	20	18.4	75	120	5+1

BMW

MODEL	START Y.	END Y.
5 (E39)	1995/09	2003/07
5 Touring (E39)	1996/09	2004/06




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34216868940
34216771970
34216793247

10-50824



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50824

MATERIAL
TYPE-1

WEIGHT
7,89 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	78.6	20	18.4	75	120	5+1

BMW

MODEL	START Y.	END Y.
X5 (E70)	2006/02	2013/07
X5 (F15, F85)	2013/08	2018/07
X6 (E71, E72)	2007/06	2014/07
X6 (F16, F86)	2014/08	2019/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
18048698
88964169

10-51085



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51085

MATERIAL
TYPE-1

WEIGHT
9,07 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
297.1	52.2	32.1	30.7	70.75	118	5

BUICK

MODEL	START Y.	END Y.
LA CROSSE Saloon	2004/09	2009/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
96264591
96328338

10-50885



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50885

MATERIAL
TYPE-1

WEIGHT
5,53 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255.75	47.4	24	22	60	114.3	4+1

CHEVROLET

MODEL	START Y.	END Y.
EPICA (KL1_)	2004/06	2011/12
EVANDA	2005/03	
LACETTI (J200)	2003/03	
LACETTI Estate (J200)	2003/05	
NUBIRA Estate	2005/01	2011/12
NUBIRA Saloon	2005/01	2012/12
REZZO MPV (U100)	2005/03	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
97360677

10-51091



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	40	27	25.6	88	109	6

CHEVROLET

MODEL	START Y.	END Y.
COLORADO	2003/04	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4246W4
E169143

10-50412



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50412

MATERIAL
TYPE-1

WEIGHT
5,62 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
276	62	14	12	71.1	108	4+2

CITROËN

MODEL	START Y.	END Y.
C5 I (DC_)	2001/03	2005/03
C5 I Break (DE_)	2001/06	2004/09
C5 II (RC_)	2004/08	2008/09
C5 II Break (RE_)	2004/09	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
424985
4246P5
424933



10-50473

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
301.85	34.1	26	24	66	108	4+2

CITROËN

MODEL	START Y.	END Y.
C4 Coupe (LA_)	2004/11	2013/12
C4 GRAND PICASSO I (UA_)	2006/10	2013/12
C4 I (LC_)	2004/11	2014/12
C4 III (BA_, BB_, BC_)	2020/10	
C4 PICASSO I MPV (UD_)	2006/10	2015/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1667851280
1642765080
9805961480

10-50818



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50818

MATERIAL
TYPE-1

WEIGHT
6,91 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282.85	48.1	26	24	71.1	108	5+3

CITROËN

MODEL	START Y.	END Y.
BERLINGO (ER_, EC_)	2018/06	
BERLINGO Box Body/MPV (B9)	2008/04	
BERLINGO Box Body/MPV (K9)	2018/06	
C4 GRAND PICASSO II (DA_, DE_)	2013/06	
C4 PICASSO II	2013/01	
C4 SPACETOURER (3D_)	2018/04	
C4 SPACETOURER Van (3D_)	2018/04	
GRAND C4 SPACETOURER (3A_, 3E_)	2018/04	
GRAND C4 SPACETOURER Van (3A_, 3E_)	2018/04	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
96549782

10-50885



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50885

MATERIAL
TYPE-1

WEIGHT
5,53 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255.75	47.4	24	22	60	114.3	4+1

DAEWOO

MODEL	START Y.	END Y.
EVANDA (KLAL)	2002/08	
LACETTI Hatchback (KLAN)	2002/02	
LACETTI Saloon	1999/06	2003/07
LACETTI Saloon (J200)	2002/06	2009/12
NUBIRA Saloon (J200)	2003/07	
NUBIRA Wagon (J200)	2003/07	
REZZO (U100)	2000/06	
TOSCA	2006/02	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
43512B1030

10-51092



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51092

MATERIAL
TYPE-1

WEIGHT
5,23 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
254	41.9	22	21	55.15	100	4+2

DAIHATSU

MODEL	START Y.	END Y.
MATERIA (M4_)	2006/10	
SIRION (M3_)	2005/01	




BRAKE DISC

- Front Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1112542
1006505
1013581

10-50764



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50764

MATERIAL
TYPE-1

WEIGHT
3,62 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
239.5	42.85	12	10	63.6	108	4

FORD

MODEL	START Y.	END Y.
FIESTA IV (JA_, JB_)	1995/08	2006/06
KA (RB_)	1996/09	2008/11
KA Van (RB)	2002/05	2005/05



BRAKE DISC


• Rear Axle

• Solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
DG9Z2C026C
DG9Z2C026A

10-51084



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51084

MATERIAL
TYPE-1

WEIGHT
5,34 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302.35	51.05	11.1	9	63.7	108	5+1

FORD

MODEL	START Y.	END Y.
MONDEO V Hatchback (CE)	2014/09	
MONDEO V Saloon (CD)	2012/09	
MONDEO V Turnier (CF)	2014/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
45251TGNE00
45251TV2E00
45251TV2E01

10-51088



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51088

MATERIAL
TYPE-1

WEIGHT
7,36 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
292.75	47.1	25	23	64.15	114.3	5+3

HONDA

MODEL	START Y.	END Y.
CIVIC IX (FK)	2012/02	
CIVIC IX Tourer (FK)	2014/01	
CIVIC X Hatchback (FC_, FK_)	2016/09	
CIVIC X Saloon (FC_)	2015/09	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
517123L000
517123L010

10-51086



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51086

MATERIAL
TYPE-1

WEIGHT
9,09 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303	47.3	28	26.4	69	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
GRANDEUR (TG)	2003/06	2012/06




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
517120X700
51712B9000

10-51087



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51087

MATERIAL
TYPE-1

WEIGHT
4,58 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
252	48.7	18	16	62.2	100	4+2

HYUNDAI

MODEL	START Y.	END Y.
i10 I (PA)	2007/10	
i10 II (BA, IA)	2013/08	
i10 II Saloon	2013/12	
i10 III (AC3, AI3)	2019/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402065DA0A
40206HG00B

10-50820



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50820

MATERIAL
TYPE-1

WEIGHT
7,38 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	51	28	25.4	67	112	5+1

INFINITI

MODEL	START Y.	END Y.
Q30	2015/11	
QX30	2016/04	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402064M405
4020693J00

10-50827



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50827

MATERIAL
TYPE-1

WEIGHT
4,71 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256.65	49.2	22	20	68	114.3	4

INFINITI

MODEL	START Y.	END Y.
G20	1990/01	1997/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
8973606780
8980062590
8973606770

10-51091



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51091

MATERIAL
TYPE-1

WEIGHT
6,81 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	40	27	25.6	88	109	6

ISUZU

MODEL	START Y.	END Y.
D-MAX I (TFR, TFS)	2002/05	2012/12
D-MAX I Platform/Chassis (TFR, TFS)	2006/10	2012/10
D-MAX II (TFR, TFS)	2012/06	
D-MAX II Platform/Chassis (TFR, TFS)	2012/06	
KB	2002/07	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5171239900
517123F000

10-51086



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51086

MATERIAL
TYPE-1

WEIGHT
9,09 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303	47.3	28	26.4	69	114.3	5+2

KIA

MODEL	START Y.	END Y.
OPIRUS (GH)	2003/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5171207700

10-51087



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51087

MATERIAL
TYPE-1

WEIGHT
4,58 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
252	48.7	18	16	62.2	100	4+2

KIA

MODEL	START Y.	END Y.
PICANTO I (SA)	2004/04	2012/05
PICANTO II (TA)	2011/05	2017/05




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
51712G6300

10-51090



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51090

MATERIAL
TYPE-1

WEIGHT
4,71 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
255.95	42.85	20	18	62.2	100	4+2

KIA

MODEL	START Y.	END Y.
PICANTO III (JA)	2017/03	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
21120350107002
21123501070
21120350107000

10-50823



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50823

MATERIAL
TYPE-1

WEIGHT
4,70 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	42.4	20	18	58.5	98	4+2

LADA

MODEL	START Y.	END Y.
110 (2110)	1995/01	2012/12
111 (2111)	1995/01	2009/02
112 (2112)	1995/01	2011/12
GRANTA (2190_)	2011/10	
KALINA Estate (1117)	2004/09	2013/12
KALINA Hatchback (1119)	2004/10	2013/12
KALINA Saloon (1118)	2004/09	2013/12
PRIORA Estate (2171)	2009/05	2015/12
PRIORA Hatchback (2172)	2008/02	2015/12
PRIORA Saloon (2170_)	2007/04	2018/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
SDB000601
SDB000602
SDB000604



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50373

MATERIAL
TYPE-1

WEIGHT
9,81 KG

BALANCING
100 %



10-50373

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
316.75	62	30	27	79	120	5+1

LAND ROVER

MODEL	START Y.	END Y.
DISCOVERY III (L319)	2004/07	2009/09
DISCOVERY IV (L319)	2009/09	2018/12
RANGE ROVER SPORT I (L320)	2005/02	2013/03




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
DG9Z2C026C
DG9Z2C026A

10-51084



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51084

MATERIAL
TYPE-1

WEIGHT
5,34 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302.35	51.05	11.1	9	63.7	108	5+1

LINCOLN

MODEL	START Y.	END Y.
MKZ	2012/09	




BRAKE DISC

- Front Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1E0333251A
1E0333251
1E0333251B

10-50764



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50764

MATERIAL
TYPE-1

WEIGHT
3,62 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
239.5	42.85	12	10	63.6	108	4

MAZDA

MODEL	START Y.	END Y.
121 III (JASM, JBSM)	1996/03	2003/04




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2044210012
A2044210012
000421191207

10-50421



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50421

MATERIAL
TYPE-1

WEIGHT
7,78 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	64.5	25	22.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
C-CLASS (W204)	2007/01	2015/01
C-CLASS Coupe (C204)	2011/01	
C-CLASS T-Model (S204)	2007/08	2014/08




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2464212512

10-50541



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50541

MATERIAL
TYPE-1

WEIGHT
8,06 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294.7	51	28	26	67	112	5+1


MERCEDES-BENZ

MODEL	START Y.	END Y.
A-CLASS (W176)	2012/06	2018/05
B-CLASS Sports Tourer (W246, W242)	2011/10	2018/12
CLA Coupe (C117)	2013/01	2019/03
CLA Shooting Brake (X117)	2015/01	2019/03
GLA-CLASS (X156)	2013/12	



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2464210012
2464211112

10-50819



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50819

MATERIAL
TYPE-1

WEIGHT
6,66 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	51	25	22.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
A-CLASS (W176)	2012/06	2018/05
B-CLASS Sports Tourer (W246, W242)	2011/10	2018/12



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2464210112
246421011207

10-50820



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50820

MATERIAL
TYPE-1

WEIGHT
7,38 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295	51	28	25.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
A-CLASS (W176)	2012/06	2018/05
B-CLASS Sports Tourer (W246, W242)	2011/10	2018/12
CLA Coupe (C117)	2013/01	2019/03
CLA Shooting Brake (X117)	2015/01	2019/03
GLA-CLASS (X156)	2013/12	




BRAKE DISC

- Front Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1694210012

10-50865



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50865

MATERIAL
TYPE-1

WEIGHT
4,56 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
276	44.5	12	10	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
A-CLASS (W169)	2004/04	2012/06
B-CLASS Sports Tourer (W245)	2005/03	2011/11



BRAKE DISC


• Rear Axle

• Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2024230012
2024233012
202423001264

10-50869



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50869

MATERIAL
TYPE-1

WEIGHT
3,23 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
258	55.1	9	7.3	67	112	5+2

MERCEDES-BENZ

MODEL	START Y.	END Y.
C-CLASS (W202)	1993/03	2000/05




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2464212512

10-50541



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50541

MATERIAL
TYPE-1

WEIGHT
8,06 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
294.7	51	28	26	67	112	5+1

MERCEDES-BENZ (BBDC)

MODEL	START Y.	END Y.
GLA (X156)	2015/04	2019/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
MZ690859
MR510742
MR510741



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51081

MATERIAL
TYPE-1

WEIGHT
6,19 KG

BALANCING
100 %



10-51081

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
275.9	45.6	26.1	24.4	69.1	114.3	4+2

MITSUBISHI

MODEL	START Y.	END Y.
GALANT VIII (EA_)	1996/09	2004/10
GALANT VIII Estate (EA_)	1996/09	2003/10
LANCER VII (CS_A, CT_A)	2000/03	2013/12
LANCER VII Estate (CS_W, CT_W)	2003/09	2008/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
MN116329
4615A190
MN116330

10-51082



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51082

MATERIAL
TYPE-1

WEIGHT
5,71 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
275.7	45.5	26	24.4	69.05	114.3	5

MITSUBISHI

MODEL	START Y.	END Y.
LANCER VIII (CY_A, CZ_A)	2007/03	
LANCER VIII Sportback (CX_A)	2007/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
40206019VA
40206710
402064M401

10-50827



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50827

MATERIAL
TYPE-1

WEIGHT
4,71 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256.65	49.2	22	20	68	114.3	4

NISSAN

MODEL	START Y.	END Y.
200SX (S13)	1988/07	1995/12
240SX	1988/08	2001/02
ALMERA Classic (B10)	2006/03	
ALMERA II (N16)	2000/04	
ALMERA II Hatchback (N16)	2000/01	
PRAIRIE PRO (M11)	1988/10	1998/10
PRIMERA (P10)	1990/06	1996/06
PRIMERA (P11)	1996/06	2001/12
PRIMERA Hatchback (P10)	1990/06	1996/06
PRIMERA Hatchback (P11)	1996/06	2002/07
PRIMERA Traveller (W10)	1990/07	1998/03





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402064CE0A
402064CU0A
402064CU0B



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51080

MATERIAL
TYPE-1

WEIGHT
9,92 KG

BALANCING
100 %



10-51080

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	43.95	28	26	68	114.3	5

NISSAN

MODEL	START Y.	END Y.
X-TRAIL III (T32_, T32R, T32RR)	2013/10	





BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
432066RN0A

10-51083



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51083

MATERIAL
TYPE-1

WEIGHT
5,08 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
291.8	47	16.1	14	68	114.3	5+2

NISSAN

MODEL	START Y.	END Y.
QASHQAI III (J12)	2021/04	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
E169124
4246L7
4246T6

10-50449



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50449

MATERIAL
TYPE-1

WEIGHT
5,25KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
290.3	60	10	8	71.1	108	4+3

PEUGEOT

MODEL	START Y.	END Y.
406 (8B)	1995/08	2005/01
406 Break (8E/F)	1996/10	2004/10
406 Coupe (8C)	1997/03	2005/02





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
9687602180
9809266280

10-50473



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50473

MATERIAL
TYPE-1

WEIGHT
8,46 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
301.85	34.1	26	24	66	108	4+2

PEUGEOT

MODEL	START Y.	END Y.
207 (WA_, WC_)	2006/02	2015/12
207 SW (WK_)	2007/02	2013/12
3008 MPV (0U_)	2009/05	2017/12
307 (3A/C)	2000/08	2012/12
307 Break (3E)	2002/03	2009/12
307 CC (3B)	2003/03	2009/06
307 SW (3H)	2002/03	2009/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
9805961480
1647867480

10-50818



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50818

MATERIAL
TYPE-1

WEIGHT
6,91 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282.85	48.1	26	24	71.1	108	5+3

PEUGEOT

MODEL	START Y.	END Y.
PARTNER Box Body/MPV (K9)	2018/09	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
88964169
18048698

10-51085



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51085

MATERIAL
TYPE-1

WEIGHT
9,07 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
297.1	52.2	32.1	30.7	70.75	118	5

PONTIAC

MODEL	START Y.	END Y.
GRAND PRIX Saloon	2003/09	2008/12
MONTANA	2004/04	2009/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402065998R

10-51080



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51080

MATERIAL
TYPE-1

WEIGHT
9,92 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	43.95	28	26	68	114.3	5

RENAULT

MODEL	START Y.	END Y.
KOLEOS II (HC_)	2016/04	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5391537
4565693
5084751

10-50486



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50486

MATERIAL
TYPE-1

WEIGHT
4,85 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
285.7	69.2	10	8	65.5	110	5+2

SAAB

MODEL	START Y.	END Y.
9-3 (YS3D)	1998/02	2003/08
9-3 Cabriolet (YS3D)	1998/02	2003/08
9-5 (YS3E)	1997/09	2009/12
9-5 Estate (YS3E)	1998/10	2009/12
900 II	1993/07	1999/04
900 II Convertible	1993/09	1999/04
900 II Coupe	1993/12	1999/04




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
18048698

10-51085



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51085

MATERIAL
TYPE-1

WEIGHT
9,07 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
297.1	52.2	32.1	30.7	70.75	118	5

SATURN

MODEL	START Y.	END Y.
RELAY Mini Passenger Van	2004/09	2007/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
8D0615301M

10-50826



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50826

MATERIAL
TYPE-1

WEIGHT
10,22 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	46.3	30	28	68	112	5+1

SEAT

MODEL	START Y.	END Y.
EXEO (3R2)	2008/12	2013/05
EXEO ST (3R5)	2009/05	2013/05




BRAKE DISC

- Front Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
823615301
811615301B

10-50864



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
238.8	38.65	10	8	65	100	4+1

SEAT

MODEL	START Y.	END Y.
CORDOBA (6K1, 6K2)	1993/02	2002/12
CORDOBA Vario (6K5)	1996/07	2002/12
IBIZA II (6K1)	1993/03	2002/05




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1J0615601D

10-50765



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50765

MATERIAL
TYPE-1

WEIGHT
2,71 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
239	33.45	9	7	65	100	5+1

SKODA

MODEL	START Y.	END Y.
OCTAVIA I (1U2)	1996/09	2010/12
OCTAVIA I Combi (1U5)	1998/07	2010/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
43512B1030

10-51092



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51092

MATERIAL
TYPE-1

WEIGHT
5,23 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
254	41.9	22	21	55.15	100	4+2

SUBARU

MODEL	START Y.	END Y.
JUSTY IV	2007/01	





BRAKE DISC

- Front Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
5521180000

10-50867



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
289.5	45.85	10	9	107.1	139.7	5+2

SUZUKI

MODEL	START Y.	END Y.
GRAND VITARA I (FT, HT)	1998/03	2008/08
JIMNY Closed Off-Road Vehicle (SN)	1998/07	
JIMNY Open Off-Road Vehicle (SN)	1998/01	
SAMURAI Closed Off-Road Vehicle (SJ_)	1984/09	2004/12
SAMURAI Open Off-Road Vehicle (SJ_)	1988/04	2004/12
SIERRA II Open Off-Road Vehicle (SJ)	1988/12	2000/02
SIERRA Open Off-Road Vehicle (SJ)	1984/09	1999/07
SIERRA Open Off-Road Vehicle (SJ)	1981/09	1990/03
SJ410	1979/09	1991/07
SJ410 Cabrio (OS)	1981/09	1991/07
SJ413 (OS)	1984/09	1991/03



BRAKE DISC


• Rear Axle

• Solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
424310D050
4243147020
4243112250

10-50452



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50452

MATERIAL
TYPE-1

WEIGHT
3,75 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
269.1	55.8	9	7.4	55.1	100	4+3

TOYOTA

MODEL	START Y.	END Y.
COROLLA (_E12_)	2001/01	2007/12
COROLLA Estate (_E12_)	2001/03	2008/12
COROLLA Verso (_E12_)	2001/07	2007/05
PRIUS Saloon (_W1_)	2000/05	2004/01
YARIS (_P1_)	1999/01	2005/12
YARIS VERSO (_P2_)	1999/08	2005/09




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4243120420
4243120390
4243147030

10-50494



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50494

MATERIAL
TYPE-1

WEIGHT
3,68 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
269.1	55.75	9	7.5	55.1	100	5+3

TOYOTA

MODEL	START Y.	END Y.
CELICA Coupe (_T23_)	1999/08	2006/03
PRIUS Liftback (_W2_)	2003/09	2009/12




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4243102082
4243102081
4243102080

10-50766



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50766

MATERIAL
TYPE-1

WEIGHT
4,11 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279	55.75	9	8	55	100	4+3

TOYOTA

MODEL	START Y.	END Y.
COROLLA (_E12_)	2001/01	2007/12
COROLLA Estate (_E12_)	2001/03	2008/12
COROLLA Saloon (_E12_)	2000/08	2008/12





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
435120K090
435120K100
435120K101

10-51089



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51089

MATERIAL
TYPE-1

WEIGHT
8,22 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
318.65	67.5	28	26	108	139.7	6+2

TOYOTA

MODEL	START Y.	END Y.
4 RUNNER IV (_N21_)	2002/08	2009/12
FJ CRUISER (GSJ1_)	2005/06	2018/01
FORTUNER (_N5_, _N6_)	2004/06	2015/09
HILUX III SUV (_N1_, _N2_)	1995/01	2005/08
HILUX VII Pickup (_N1_, _N2_, _N3_)	2004/08	
HILUX VIII Pickup (_N1_)	2015/05	
TACOMA Pickup (_N2_)	2004/09	2015/12
TACOMA Pickup (_N3_)	2015/08	




BRAKE DISC

- Rear Axle
- Solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1J0615601D

10-50765



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50765

MATERIAL
TYPE-1

WEIGHT
2,71 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
239	33.45	9	7	65	100	5+1

VW

MODEL	START Y.	END Y.
BORA I (1J2)	1998/10	2013/12
BORA Variant (1J6)	1999/05	2005/05
GOLF IV (1J1)	1997/08	2008/04
GOLF IV Variant (1J5)	1999/05	2006/06



BRAKE DISC


• Front Axle

• Solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
811615301
811615301B
823615301

10-50864



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
238.8	38.65	10	8	65	100	4+1

VW

MODEL	START Y.	END Y.
DERBY (86C, 80)	1981/08	1984/12
GOLF I (17)	1974/04	1985/12
GOLF II (19E, 1G1)	1983/08	1992/12
GOLF II Van (19E, 1G1)	1983/08	1991/07
JETTA I (16)	1978/08	1987/12
JETTA II (19E, 1G2, 165)	1983/08	1992/12
PASSAT B1 (32)	1973/05	1981/07
PASSAT B2 (32B)	1979/09	1989/06
PASSAT B2 Variant (33B)	1980/08	1989/06
PASSAT B3/B4 (3A2, 35I)	1988/02	1997/12
PASSAT B3/B4 Variant (3A5, 35I)	1988/02	1997/06

