

new to range

SPEED TO MARKET SECOND TO NONE

AYD[®]
AUTOMOTIVE INDUSTRY



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

www.aydtr.com



NOVEMBER 2023

INDEX BRAKE DISC

ACURA	3
AUDI	4
BMW	5-6
BUICK	7
CHEVROLET	8-11
CHRYSLER	12
CITROEN	13
DODGE	14
FIAT	15
FORD USA	16
GMC	17-19
HAFEI	20
HONDA	21
LEXUS	22-24
MAZDA	25-27
MERCEDES BENZ	28
MINI	29
MITSUBISHI	30-31
NISSAN	32
PEUGEOT	33
PONTIAC	34
PROTON	35
ROVER	36
SEAT	37
SKODA	38-39
SUZUKI	40
TOYOTA	41-45
VOLKSWAGEN	46

BRAKE DRUM


CHEVROLET	47-48
CHRYSLER	49
DODGE	50
FORD USA	51
HONDA	52-53
MAZDA	54
PLYMOUTH	55
PONTIAC	56
SATURN	57
TOYOTA	58

BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
45251SM4000
45251SM4010
45251SM4020



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50971

MATERIAL
TYPE-1

WEIGHT
4,95 KG

BALANCING
100 %



10-50971

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	34,25	23	21	92,05	114,3	4

ACURA

MODEL	START Y.	END Y.
CL Coupe	1996/10	2003/09




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2Q0615301H
2QB615301E

10-50924



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50924

MATERIAL
TYPE-1

WEIGHT
6,54 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
276	44,2	24	21	65	100	5+1

AUDI

MODEL	START Y.	END Y.
A1 Allstreet (GBH)	2019/07	2022/06
A1 City Carver (GBH)	2019/07	
A1 Sportback (GBA)	2018/07	




BRAKE DISC

• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
34216799367
34216864141



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50919

MATERIAL
TYPE-1

WEIGHT
4,17 KG

BALANCING
100 %



10-50919

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	50,6	10	8,4	67	112	5+1

BMW

MODEL	START Y.	END Y.
1 (F40)	2019/07	
2 Active Tourer (F45)	2013/11	2021/10
2 Active Tourer Van (F45)	2013/11	2021/10
2 Gran Coupe (F44)	2019/11	
2 Gran Tourer (F46)	2014/07	
2 Gran Tourer Van (F46)	2014/07	
i3 (I01)	2013/08	
X1 (F48)	2014/11	
X1 Van (F48)	2015/07	
X2 (F39)	2017/11	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
34216861013

10-50919



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	50,6	10	8,4	67	112	5+1

BMW (BRILLIANCE)

MODEL	START Y.	END Y.
X2 (F39)	2019/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
10434245

10-50979



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50979

MATERIAL
TYPE-1

WEIGHT
7,01 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
275	52	30	27	71.05	115	5

BUICK

MODEL	START Y.	END Y.
RENDEZVOUZ	2000/04	2007/12




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
23387173

10-51118



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51118

MATERIAL
TYPE-1

WEIGHT
7,45 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
324	80,1	18	16	71	120	6+1

CHEVROLET

MODEL	START Y.	END Y.
COLORADO Cab & Chassis	2011/09	
COLORADO Crew Cab Pickup	2011/09	
COLORADO Extended Cab Pickup	2011/09	
COLORADO Standard Cab Pickup	2011/09	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
30022977
30024673

10-51120




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51120

MATERIAL
TYPE-1

WEIGHT
4,28 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
286,7	29	17	15	108,2	139,7	5+2

CHEVROLET

MODEL	START Y.	END Y.
TRACKER	1998/05	2009/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
18027660
15684318




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51121

MATERIAL
TYPE-1

WEIGHT
6,45 KG

BALANCING
100 %



10-51121

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
266,6	52,5	26,5	24,3	70,75	120	5

CHEVROLET

MODEL	START Y.	END Y.
BLAZER S10	1982/09	1994/12
S10 Pick Up	1981/09	1991/09




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
84587921
15733627




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51136

MATERIAL
TYPE-1

WEIGHT
13,19 KG

BALANCING
100 %



10-51136

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	89,3	38	36,5	118.1	165	8+2

CHEVROLET

MODEL	START Y.	END Y.
EXPRESS 3500 Extended Cargo Van	2002/09	
EXPRESS 3500 Extended Passenger Van	2002/09	
EXPRESS 3500 Standard Cargo Van	2002/09	
EXPRESS 3500 Standard Passenger Van	2002/09	
SILVERADO 3500	2001/01	2007/12
SILVERADO 3500 Crew Cab Pickup	2000/09	2007/12
SILVERADO 3500 HD Crew Cab Pickup	2007/09	2013/12
SILVERADO 3500 HD Extended Cab Pickup	2007/09	2013/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4764073
4695957
4695186



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50977

MATERIAL
TYPE-1

WEIGHT
5,68 KG

BALANCING
100 %



10-50977

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282	32	23,25	21,4	61	100	5

CHRYSLER

MODEL	START Y.	END Y.
CIRRUS	1994/05	2000/09
SEBRING (JR)	2000/09	2007/06
SEBRING Convertible (JR)	2001/04	2007/06
SEBRING Coupe (FJ)	1995/05	2000/09
STRATUS (JA)	1994/09	2001/04
STRATUS Convertible (JX)	1996/04	2001/04





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
424921
424987
4249J9




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50927

MATERIAL
TYPE-1

WEIGHT
7,64 KG

BALANCING
100 %



10-50927

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279,7	48	28	26	71	108	5+3

CITROËN

MODEL	START Y.	END Y.
JUMPY II (VF7)	2007/01	2016/03
JUMPY II Platform/Chassis	2006/11	
JUMPY II Van	2007/01	2016/03




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4879138AC
4695186
4764073

10-50977



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50977

MATERIAL
TYPE-1

WEIGHT
5,68 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
282	32	23,25	21,4	61	100	5

DODGE

MODEL	START Y.	END Y.
AVENGER Coupe	1994/09	2000/12
STRATUS	1994/09	2001/04
STRATUS II	2000/10	2006/10





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1401416880
9404249878
9467548387




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50927

MATERIAL
TYPE-1

WEIGHT
7,64 KG

BALANCING
100 %



10-50927

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279,7	48	28	26	71	108	5+3

FIAT

MODEL	START Y.	END Y.
SCUDO Bus (270_, 272_)	2007/01	2016/03
SCUDO Platform/Chassis (270_, 272_)	2007/01	2016/03
SCUDO Van (270_, 272_)	2007/01	2016/03




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
JL3Z2C026A

10-51133




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51133

MATERIAL
TYPE-1

WEIGHT
9,01 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
336	45,1	24	22,5	90,1	135	6

FORD USA

MODEL	START Y.	END Y.
EXPEDITION (U553)	2017/10	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
94778644

10-51118



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51118

MATERIAL
TYPE-1

WEIGHT
7,45 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
324	80,1	18	16	71	120	6+1

GMC

MODEL	START Y.	END Y.
CANYON Crew Cab Pickup	2012/09	
CANYON Extended Cab Pickup	2012/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
19174912

10-51121



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
266,6	52,5	26,5	24,3	70,75	120	5

GMC

MODEL	START Y.	END Y.
S15 Extended Cab Pickup	1981/09	1994/12
S15 JIMMY SUV	1982/09	1994/12
SONOMA Extended Cab Pickup	1981/09	1993/12
SONOMA Standard Cab Pickup	1981/09	1993/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
19175166
89032236
15733625




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51136

MATERIAL
TYPE-1

WEIGHT
13,19 KG

BALANCING
100 %



10-51136

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	89,3	38	36,5	118.1	165	8+2

GMC

MODEL	START Y.	END Y.
SAVANA 3500 Cutaway Van	2002/09	
SAVANA 3500 Extended Cargo Van	2002/09	
SAVANA 3500 Extended Passenger Van	2002/09	
SAVANA 3500 Standard Cargo Van	2002/09	
SAVANA 3500 Standard Passenger Van	2002/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
AA35010107

10-51026



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51026

MATERIAL
TYPE-1

WEIGHT
4,98 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256,3	45,4	24	22,4	64	100	4+2

HAFEI

MODEL	START Y.	END Y.
SAIBAO III	2005/04	
SAIBAO V	2007/01	
SIGMA	2000/06	2009/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
45251SM4020
45251SM4010
45251SN7E40



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50971

MATERIAL
TYPE-1

WEIGHT
4,95 KG

BALANCING
100 %



10-50971

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	34,25	23	21	92,05	114,3	4

HONDA

MODEL	START Y.	END Y.
ACCORD IV (CB)	1989/11	1993/12
ACCORD IV Coupe (CB. CC)	1989/05	1993/12
ACCORD V (CC. CD)	1992/06	1997/12
ACCORD V (CE. CF_. CD)	1995/09	1998/12
CIVIC VI Fastback (MA. MB)	1994/09	2001/02
CIVIC VI Hatchback (EJ. EK)	1995/10	2001/03
CIVIC VI Saloon (EJ. EK. SO)	1995/06	2001/03




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4243106180
4243178010

10-51031



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51031

MATERIAL
TYPE-1

WEIGHT
4,67 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	44,35	12	10,5	62	114,3	5+2

LEXUS

MODEL	START Y.	END Y.
ES (_Z10_ _A10_ _H10_)	2018/07	
NX (_Z1_)	2014/07	
UX (_AA1_ _AH1_ _MA1_)	2018/10	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4243133080
4243133140
4243148010

10-51109



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51109

MATERIAL
TYPE-1

WEIGHT
4,77 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	60,2	10	8,5	62	114,3	5+3

LEXUS

MODEL	START Y.	END Y.
RX (MCU15)	1998/01	2003/05




BRAKE DISC

• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
4243130260
4243153011
4243153010



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51110

MATERIAL
TYPE-1

WEIGHT
5,89 KG

BALANCING
100 %



10-51110

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
307	63,2	12	10,5	62	114,3	5+7

LEXUS

MODEL	START Y.	END Y.
GS (_S16_)	1997/08	2004/12
IS I (_E1_)	1999/04	2005/07
IS SportCross (_E1_)	2001/10	2005/10
SC Convertible (UZZ40_)	2001/01	2010/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
L2063325X
L2063325XA
L2143325X



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51117

MATERIAL
TYPE-1

WEIGHT
8,81 KG

BALANCING
100 %



10-51117

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
295,4	48,5	28	26	72	114,3	5

MAZDA

MODEL	START Y.	END Y.
CX-7 (ER)	2006/06	2014/12



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
TK7826251A

10-51125



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
324,8	45	11	9	68	114,3	5+1

MAZDA

MODEL	START Y.	END Y.
CX-9 (TC)	2016/06	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
TK7833251B
TK7833251A

10-51128



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51128

MATERIAL
TYPE-1

WEIGHT
10,10 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	51,5	28	26	68	114,3	5+1

MAZDA

MODEL	START Y.	END Y.
6 Estate (GJ. GL)	2012/08	
6 Saloon (GJ. GL)	2012/12	
CX-5 (KF)	2016/11	
CX-9 (TC)	2016/06	




BRAKE DISC

• Front Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
1244211312
1244211212
124421131264



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50910

MATERIAL
TYPE-1

WEIGHT
4,94 KG

BALANCING
100 %



10-50910

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	43,5	12	10	67	112	5+3

MERCEDES-BENZ

MODEL	START Y.	END Y.
124 Coupe (C124)	1987/03	1993/07
124 Saloon (W124)	1984/12	1993/08
124 T-Model (S124)	1985/09	1993/12
E-CLASS (W124)	1993/02	1996/06
E-CLASS T-Model (S124)	1993/06	1996/06



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
34216864141

10-50919



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	50,6	10	8,4	67	112	5+1

MINI

MODEL	START Y.	END Y.
MINI (F56)	2013/12	
MINI CLUBMAN (F54)	2014/11	
MINI COUNTRYMAN (F60)	2016/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4615A105
4615A175



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51013

MATERIAL
TYPE-1

WEIGHT
3,51 KG

BALANCING
100 %



10-51013

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
229,3	41,7	17	15,4	64,1	100	4+2

MITSUBISHI

MODEL	START Y.	END Y.
MIRAGE / SPACE STAR VI Hatchback (A0_A)	2012/01	
MIRAGE VI Saloon (A1_A)	2013/07	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
MB699285
MR449770
MR449771



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51026

MATERIAL
TYPE-1

WEIGHT
4,98 KG

BALANCING
100 %



10-51026

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256,3	45,4	24	22,4	64	100	4+2

MITSUBISHI

MODEL	START Y.	END Y.
COLT IV (CA_A)	1992/03	1996/04
LANCER IV Hatchback (C6_A. C7_A)	1988/04	1994/05
LANCER V (CB_A. CD_A. CE_A)	1991/07	1996/12
LANCER VI (CJ_. CP_)	1995/09	2003/12
LANCER VII (CS_A. CT_A)	2000/01	2013/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
402062L903
40206880
402068800000



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51029

MATERIAL
TYPE-1

WEIGHT
6,63 KG

BALANCING
100 %



10-51029

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	49,2	22	20	68	114,3	5

NISSAN

MODEL	START Y.	END Y.
AVENIR (W11)	1997/11	2006/03
CEFIRO II Saloon (A32)	1994/08	1999/12
MAXIMA / MAXIMA QX IV (A32)	1994/03	2000/08
MAXIMA / MAXIMA QX IV Station Wagon (A32)	1997/10	2000/12
MAXIMA III (J30)	1988/10	1995/02
SILVIA (S15)	1999/09	2006/07
SKYLINE (R34)	1998/01	2006/01
SKYLINE Coupe (R34)	1998/01	2008/02
STAGEA (WC34)	1996/09	2001/10




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4249J9
424920
424987




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50927

MATERIAL
TYPE-1

WEIGHT
7,64 KG

BALANCING
100 %



10-50927

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279,7	48	28	26	71	108	5+3

PEUGEOT

MODEL	START Y.	END Y.
EXPERT Platform/Chassis	2007/01	
EXPERT TEPEE (VF3X_)	2007/01	
EXPERT Van (VF3A_, VF3U_, VF3X_)	2007/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
13541400
13541401

10-50979



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50979

MATERIAL
TYPE-1

WEIGHT
7,01 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
275	52	30	27	71.05	115	5

PONTIAC

MODEL	START Y.	END Y.
AZTEK	2000/09	2005/08




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
MR449771
MB699285

10-51026



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51026

MATERIAL
TYPE-1

WEIGHT
4,98 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256,3	45,4	24	22,4	64	100	4+2

PROTON

MODEL	START Y.	END Y.
PERSONA 300 (C9_M)	1996/03	2004/07
PERSONA 400 (C9_S)	1994/01	2008/02
PERSONA 400 Hatchback (C9_C. C9_S)	1994/01	2008/02
PERSONA Saloon	2007/01	2016/07
SATRIA (C9_M)	1995/07	2007/06
WIRA	1993/05	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
GBD90836

10-50971



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50971

MATERIAL
TYPE-1

WEIGHT
4,95 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	34,25	23	21	92,05	114,3	4

ROVER

MODEL	START Y.	END Y.
600 I (RH)	1993/08	2000/10




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2Q0615301H
2QB615301E

10-50924



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50924

MATERIAL
TYPE-1

WEIGHT
6,54 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
276	44,2	24	21	65	100	5+1

SEAT

MODEL	START Y.	END Y.
ARONA (KJ7. KJP)	2017/07	
IBIZA IV ST (6J8. 6P8)	2010/03	2016/07
IBIZA V (KJ1. KJG)	2017/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2Q0615301H
2QB615301E

10-50924



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50924

MATERIAL
TYPE-1

WEIGHT
6,54 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
276	44,2	24	21	65	100	5+1

SKODA

MODEL	START Y.	END Y.
FABIA IV (PJ3)	2021/06	
KAMIQ (NW4)	2019/07	
SCALA (NW1)	2019/02	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
5Q0615601C

10-51126



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
252,9	61,55	10	8	65	112	9+1

SKODA

MODEL	START Y.	END Y.
OCTAVIA III (5E3. NL3. NR3)	2012/11	2021/03
OCTAVIA III Combi (5E5. 5E6)	2012/11	2020/10
OCTAVIA IV (NX3. NN3)	2020/01	





BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
30024673
5521165D00
5521165D01




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51120

MATERIAL
TYPE-1

WEIGHT
4,28 KG

BALANCING
100 %



10-51120

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
286,7	29	17	15	108,2	139,7	5+2

SUZUKI

MODEL	START Y.	END Y.
GRAND VITARA I (FT. HT)	1998/03	2008/08
GRAND VITARA I Open Off-Road Vehicle (GT)	1998/03	2005/09



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
SU001A1063

10-50927



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279,7	48	28	26	71	108	5+3

TOYOTA

MODEL	START Y.	END Y.
PROACE Van (MDX_)	2013/06	2016/03




BRAKE DISC

• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
4243178010
4243106180
4243106190



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51031

MATERIAL
TYPE-1

WEIGHT
4,67 KG

BALANCING
100 %



10-51031

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	44,35	12	10,5	62	114,3	5+2

TOYOTA

MODEL	START Y.	END Y.
AVALON Saloon (_X5_)	2018/04	
C-HR (_X1_)	2016/10	
C-HR VAN (_X1_)	2016/10	
CAMRY (_V7_ _VA7_ _VH7_)	2017/06	
COROLLA Cross(ZVG1_ZSG1_MXGH1_MXGA1_)	2020/07	
RAV 4 V (_A5_ _H5_)	2018/12	
RAV 4 V VAN (_A5_ _H5_)	2018/12	
Venza SUV	2020/07	
YARIS CROSS (MXP_)	2020/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
43512F4010

10-51032



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298,5	49,3	28	25	62	114,3	5+2

TOYOTA

MODEL	START Y.	END Y.
C-HR (_X1_)	2016/10	
C-HR VAN (_X1_)	2016/10	
COROLLA Estate (_E21_)	2019/02	
COROLLA Hatchback (_E21_ _EA1_ _EH1_)	2018/10	



BRAKE DISC


• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
4243148020
4243133080

10-51109



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51109

MATERIAL
TYPE-1

WEIGHT
4,77 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
288	60,2	10	8,5	62	114,3	5+3

TOYOTA

MODEL	START Y.	END Y.
HARRIER (_U1_)	1997/05	2003/02
HIGHLANDER / KLUGER (_U2_)	2000/06	2010/12




BRAKE DISC

• Rear Axle

• solid

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
4243130260
4243153011
4243153010



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51110

MATERIAL
TYPE-1

WEIGHT
5,89 KG

BALANCING
100 %



10-51110

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
307	63,2	12	10,5	62	114,3	5+7

TOYOTA

MODEL	START Y.	END Y.
ALTEZZA (_E1_)	1999/01	2005/11
ALTEZZA GITA Estate (_XE1_)	1998/10	2005/12
ARISTO (_S16_)	1997/08	2004/10
CELSIOR (UCF2_)	1993/05	2000/08
CELSIOR (UCF3_)	2000/09	2006/08
CROWN (_S17_)	1999/09	2004/05
MARK II IX Saloon (_X11_)	2000/10	2004/11
VEROSSA (_X11_)	2000/10	2004/04




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2Q0615301H
2QB615301E

10-50924



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50924

MATERIAL
TYPE-1

WEIGHT
6,54 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
276	44,2	24	21	65	100	5+1

VW

MODEL	START Y.	END Y.
POLO VI (AW1. BZ1. AE1)	2017/06	
T-CROSS (C11)	2018/12	
TAIGO (CS1)	2021/09	




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
10306594

13-51061



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51061

MATERIAL
TYPE-1

WEIGHT
6,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	73,8	250	251,5	70,7	115	5

CHEVROLET

MODEL	START Y.	END Y.
EQUINOX	2003/04	2009/12




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
10388690
25836302

13-51113



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51113

MATERIAL
TYPE-1

WEIGHT
5,23 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
271	73,6	230,1	231	65,5	110	5

CHEVROLET

MODEL	START Y.	END Y.
COBALT	2003/11	
HHR	2005/09	2011/12




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4877433AG
4683433
4721263

13-51060



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51060

MATERIAL
TYPE-1

WEIGHT
8,16 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
307,7	77,25	249,9	251,2	72,1	114,3	5+2

CHRYSLER

MODEL	START Y.	END Y.
CARAVAN	1994/09	2000/12
GRAND VOYAGER III VAN (GS)	1995/01	2001/12
GRAND VOYAGER V (RT)	2007/10	
VOYAGER / GRAND VOYAGER III (GS_ . NS_)	1995/01	2001/03
VOYAGER III VAN (GS_)	1995/01	2001/12
VOYAGER IV (RG. RS)	1999/09	2008/12
VOYAGER IV VAN (S_)	1999/09	2008/12




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4877263AD
4683433AD
4721263AG

13-51060



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51060

MATERIAL
TYPE-1

WEIGHT
8,16 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
307,7	77,25	249,9	251,2	72,1	114,3	5+2

DODGE

MODEL	START Y.	END Y.
CARAVAN	1995/01	2001/03
CARAVAN (RG_)	2000/02	2007/12
CARAVAN VAN (NS)	1995/01	2001/03
GRAND CARAVAN	2007/06	
GRAND CARAVAN Mini Cargo Van	2000/09	2007/12




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
2U2Z1V126C

13-51059



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51059

MATERIAL
TYPE-1

WEIGHT
6,71 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279,5	66,6	228,7	230,1	72,1	114,3	5

FORD USA

MODEL	START Y.	END Y.
ESCAPE	2001/01	2013/07




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
42610SM4010
42610SM4000

13-51062



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51062

MATERIAL
TYPE-1

WEIGHT
5,6 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
268,25	60,1	220	221	64,1	114,3	4+2

HONDA

MODEL	START Y.	END Y.
ACCORD IV (CB)	1989/11	1993/12
ACCORD IV Coupe (CB. CC)	1989/05	1993/12
ACCORD VI (CK. CG. CH. CF)	1997/03	2003/12




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
42610SE0000
42610SR3000
42610SLNA000

13-51063



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51063

MATERIAL
TYPE-1

WEIGHT
4,24 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
239	59,35	200,2	201	61,1	100	4+2

HONDA

MODEL	START Y.	END Y.
ACCORD III (CA)	1985/11	1989/12
ACCORD III Aerodeck (CA)	1985/11	1989/12
ACCORD III Coupe	1985/03	1989/12
CAPA (GA)	1998/01	2002/09
CIVIC II Shuttle (EE)	1988/01	1995/02
CIVIC IV Saloon (ED)	1987/09	1993/10
CIVIC V Coupe (EJ)	1993/08	1996/03
CIVIC V Hatchback (EG)	1991/10	1995/11
CIVIC V Saloon (EG. EH)	1991/10	1996/12
CIVIC VI Coupe (EJ. EM1)	1996/03	2000/12
CIVIC VI Fastback (MA. MB)	1994/09	2001/02




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
EC0126251
EC0126251A
EC0126251C

13-51059



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51059

MATERIAL
TYPE-1

WEIGHT
6,71 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
279,5	66,6	228,7	230,1	72,1	114,3	5

MAZDA

MODEL	START Y.	END Y.
TRIBUTE (EP)	2000/03	2008/05




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4877263AD
4683433

13-51060



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51060

MATERIAL
TYPE-1

WEIGHT
8,16 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
307,7	77,25	249,9	251,2	72,1	114,3	5+2

PLYMOUTH

MODEL	START Y.	END Y.
VOYAGER / GRAND VOYAGER	1995/01	2001/03




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
10306594

13-51061



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51061

MATERIAL
TYPE-1

WEIGHT
6,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	73,8	250	251,5	70,7	115	5

PONTIAC

MODEL	START Y.	END Y.
AZTEK	2000/09	2005/08
TORRENT	2004/08	2009/12




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
10304169

13-51061



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51061

MATERIAL
TYPE-1

WEIGHT
6,42 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	73,8	250	251,5	70,7	115	5

SATURN

MODEL	START Y.	END Y.
VUE SUV	2001/09	2007/12




BRAKE DRUM

• Rear Axle

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4243108021

13-51114



AYD
AUTOMOTIVE INDUSTRY

AYD NO
13-51114

MATERIAL
TYPE-1

WEIGHT
11 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Diameter Inside (mm)	Max. Skimmed Drum Mea. (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
305,7	73,6	254	256	62	114,3	5+2

TOYOTA

MODEL	START Y.	END Y.
SIENNA (_L2_)	2003/01	2010/12

