

new to range

SPEED TO MARKET SECOND TO NONE

AYD[®]
AUTOMOTIVE INDUSTRY



BRAKING



THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

www.aydtr.com



MARCH 2024

INDEX BRAKE DISC


ALFA ROMEO	3
ALPINE	4
AUDI	5-7
BMW	8-9
CHRYSLER	10-11
CITROEN	12
DACIA	13-14
DODGE	14-16
FIAT	17-18
FORD	19
HYUNDAI	20
ISUZU	21
JEEP	22
KIA	23-24
LANCIA	25
MAN	26
MERCEDES BENZ	27-35
MINI	36-37
NISSAN	38-41
OPEL	42-43
PEUGEOT	44
PLYMOUTH	45
RENAULT	46-48
SEAT	49-50
SKODA	51-52
VAUXHALL	53-54
VOLVO	55-57
VOLKSWAGEN	58-60

BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
51806278
51815312
71777095




AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51237

MATERIAL
TYPE-1

WEIGHT
6,75 KG

BALANCING
100 %



10-51237

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	39,7	26	24,2	70	110	5+5

ALFA ROMEO

MODEL	START Y.	END Y.
GIULIETTA (940_)	2010/04	2020/12
GIULIETTA Hatchback Van (940_)	2011/04	2020/12



BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
402062000R

10-51170

Technical drawing showing a cross-section and a top view of the brake disc. Dimensions include: (Ø 296) for the outer diameter, (Ø 68) for the centering diameter, (26) for the disc thickness, (44) for the total height, (Ø 114,3) for the bolt hole circle diameter, and (5x Ø 15,8) for the bolt holes. A section line A-A is indicated.

AYD AUTOMOTIVE INDUSTRY
AYD NO 10-51170
MATERIAL TYPE-1
WEIGHT 7,76 KG
BALANCING 100 %

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	44	26	23,4	68	114,3	5+2

ALPINE

MODEL	START Y.	END Y.
A110 II	2017/12	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4G0615301T
4G0615301A
4G0615301K



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51223

MATERIAL
TYPE-1

WEIGHT
13,96 KG

BALANCING
100 %



10-51223

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
356	52,2	34	31,5	68	112	5+1

AUDI

MODEL	START Y.	END Y.
A6 Allroad C7 (4GH. 4GJ)	2012/01	2018/09
A6 C7 (4G2. 4GC)	2010/11	2018/09
A6 C7 Avant (4G5. 4GD)	2011/05	2018/09
A7 Sportback (4GA. 4GF)	2010/07	2018/05
A8 D4 (4H2. 4H8. 4HC. 4HL)	2009/11	2018/01



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
8N0615601B
8L0615601

10-51235



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51235

MATERIAL
TYPE-1

WEIGHT
4,47 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	36,45	22	20	65	100	5+1

AUDI

MODEL	START Y.	END Y.
A3 (8L1)	1996/09	2006/09
TT (8N3)	1998/10	2006/12
TT Roadster (8N9)	1999/10	2006/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
2Q0615301G

10-51242



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51242

MATERIAL
TYPE-1

WEIGHT
5,15 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	44.2	22	19	65	100	5+1

AUDI

MODEL	START Y.	END Y.
A1 City Carver (GBH)	2019/07	2022/06
A1 Sportback (GBA)	2018/07	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
34116855000
34116770729



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51219

MATERIAL
TYPE-1

WEIGHT
11,14 KG

BALANCING
100 %



10-51219

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
348	73,1	30	28,4	79	120	5+1

BMW

MODEL	START Y.	END Y.
3 (E90)	2004/02	2012/02
3 Convertible (E93)	2006/05	2013/12
3 Coupe (E92)	2005/01	2013/12
3 Touring (E91)	2004/12	2012/12
X1 (E84)	2009/03	2015/06



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
34116799351
34116860957

10-51239



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51239

MATERIAL
TYPE-1

WEIGHT
7,92 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
307	45.15	24	22.4	67	112	5+1

BMW

MODEL	START Y.	END Y.
1 (F40)	2019/07	
2 Active Tourer (F45)	2013/11	2021/10
2 Active Tourer Van (F45)	2013/11	2021/10
2 Gran Coupe (F44)	2019/11	
2 Gran Tourer (F46)	2014/07	
2 Gran Tourer Van (F46)	2014/07	
X1 (F48)	2014/11	
X1 Van (F48)	2015/07	
X2 (F39)	2017/11	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
4509640
4616935
4879229AB



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51256

MATERIAL
TYPE-1

WEIGHT
4,69 KG

BALANCING
100 %



10-51256

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
260	32	23	21.4	61.1	100	5

CHRYSLER

MODEL	START Y.	END Y.
CIRRUS	1994/05	2000/09
SEBRING Coupe (FJ)	1995/05	2000/09
SEBRING Saloon (FJ)	1995/01	2000/12
STRATUS (JA)	1994/09	2001/04
STRATUS Convertible (JX)	1996/04	2001/04




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4683259
4683259AC



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51257

MATERIAL
TYPE-1

WEIGHT
4,96 KG

BALANCING
100 %



10-51257

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	38.2	24	22.4	61.1	100	5

CHRYSLER

MODEL	START Y.	END Y.
VOYAGER / GRAND VOYAGER III (GS_ . NS_)	1995/01	2001/03
VOYAGER III VAN (GS_)	1995/01	2001/12
VOYAGER IV (RG. RS)	1999/09	2008/12




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4249C0
4246P4
9464222687



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51140

MATERIAL
TYPE-1

WEIGHT
4,27 KG

BALANCING
100 %



10-51140

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
271,85	28	12	10	59	98	5+1

CITROËN

MODEL	START Y.	END Y.
C8 (EA_. EB_)	2002/06	
C8 Van (EA_. EB_)	2002/06	



BRAKE DISC


- Front Axle
- Vented



- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
402068279R

10-51249



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51249

MATERIAL
TYPE-1

WEIGHT
3,61 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
238	41	17	15	61	100	4+2

DACIA

MODEL	START Y.	END Y.
SPRING	2020/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4683259AC
4683259



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51257

MATERIAL
TYPE-1

WEIGHT
4,96 KG

BALANCING
100 %



10-51257

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	38.2	24	22.4	61.1	100	5

DODGE

MODEL	START Y.	END Y.
CARAVAN	1995/01	2001/03



BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
52010235AD
52010235AA
52010235AB



AYD [®]	
AUTOMOTIVE INDUSTRY	
AYD NO 10-51260	
MATERIAL TYPE-1	
WEIGHT 8,89 KG	
BALANCING 100 %	

10-51260

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
312	81.5	15	13.5	72	114.3	6

DODGE

MODEL	START Y.	END Y.
DAKOTA	2003/10	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
9464222688
9464222687
71772546



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51140

MATERIAL
TYPE-1

WEIGHT
4,27 KG

BALANCING
100 %



10-51140

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
271,85	28	12	10	59	98	5+1

FIAT

MODEL	START Y.	END Y.
ULYSSE (179_)	2002/08	2011/06




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
G1FY2A315AA
2210993
1936154



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51204

MATERIAL
TYPE-1

WEIGHT
5,01 KG

BALANCING
100 %



10-51204

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	40,7	11	9	63,55	108	5

FORD

MODEL	START Y.	END Y.
FOCUS III	2010/07	2020/02
FOCUS III Estate Van	2012/02	2020/02
FOCUS III Hatchback Van	2011/01	2020/02
FOCUS III Saloon	2010/07	2020/02
FOCUS III Turnier	2010/07	2020/02
FOCUS IV (HN)	2018/01	
FOCUS IV Saloon (HM)	2018/11	
FOCUS IV Turnier (HP)	2018/09	
KUGA III (DFK)	2019/07	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
51712G2100
51712G2000



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51216

MATERIAL
TYPE-1

WEIGHT
6,09 KG

BALANCING
100 %



10-51216

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	44,85	22	20	69	114,3	5+2

HYUNDAI

MODEL	START Y.	END Y.
IONIQ (AE)	2016/03	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
8943754164
8943754163
8943755333



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51247

MATERIAL
TYPE-1

WEIGHT
7,25 KG

BALANCING
100 %



10-51247

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	36	26	24.6	88	109	6+3

ISUZU

MODEL	START Y.	END Y.
RODEO Closed Off-Road Vehicle	1997/09	2004/08
TROOPER II (UB)	1991/08	2000/04
TROOPER II Open Off-Road Vehicle (UB)	1991/08	1998/07
TROOPER III	1998/05	2004/08
TROOPER III Open Off-Road Vehicle	2000/04	2004/08
VEHICROSS (_U_)	1997/04	2001/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
51962485
52059150



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51237

MATERIAL
TYPE-1

WEIGHT
6,75 KG

BALANCING
100 %



10-51237

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	39,7	26	24,2	70	110	5+5

JEEP

MODEL	START Y.	END Y.
RENEGADE SUV (BU. B1. BV)	2014/07	
RENEGADE VAN (BU. B1)	2014/07	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
584113E300

10-51152



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51152

MATERIAL
TYPE-1

WEIGHT
8,46 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
315	87,4	20	19,4	96,4	139,7	5+3

KIA

MODEL	START Y.	END Y.
SORENTO I (JC)	2002/08	2011/12
SORENTO I VAN (JC)	2002/08	2011/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
51712G2100

10-51216



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51216

MATERIAL
TYPE-1

WEIGHT
6,09 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	44,85	22	20	69	114,3	5+2

KIA

MODEL	START Y.	END Y.
NIRO I (DE)	2016/09	2022/08
NIRO VAN (DE)	2016/09	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
9464222687
9464222688



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51140

MATERIAL
TYPE-1

WEIGHT
4,27 KG

BALANCING
100 %



10-51140

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
271,85	28	12	10	59	98	5+1

LANCIA

MODEL	START Y.	END Y.
PHEDRA (179_)	2002/09	2010/11




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
65508030000
2N0615301A



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51246

MATERIAL
TYPE-1

WEIGHT
9,48 KG

BALANCING
100 %



10-51246

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303	70.4	28	25	76	120	5+1

MAN

MODEL	START Y.	END Y.
TGE Bus	2017/02	
TGE Platform/Chassis (UZ_)	2016/11	
TGE Van	2017/02	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4204211800
A4204211800



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51170

MATERIAL
TYPE-1

WEIGHT
7,76 KG

BALANCING
100 %



10-51170

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	44	26	23,4	68	114,3	5+2

MERCEDES-BENZ

MODEL	START Y.	END Y.
CITAN Box Body/MPV (W420)	2021/09	
CITAN Tourer (W420)	2021/09	
T-CLASS MPV (W420)	2022/05	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1664230500
1664230012



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51208

MATERIAL
TYPE-1

WEIGHT
7,03 KG

BALANCING
100 %



10-51208

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
325	54	14	11,4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
GLE (W166)	2015/04	2018/10
GLE Coupe (C292)	2015/03	2019/10
M-CLASS (W166)	2011/06	2015/12




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
220423011264
2204230112



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51209

MATERIAL
TYPE-1

WEIGHT
5,07 KG

BALANCING
100 %



10-51209

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	58,4	11	9,3	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
S-CLASS (W220)	1998/09	2005/08




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
202421091264
2024210712
2024210912



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51215

MATERIAL
TYPE-1

WEIGHT
6,05 KG

BALANCING
100 %



10-51215

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
284	43,5	22	19,4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
C-CLASS (W202)	1993/03	2000/05
C-CLASS T-Model (S202)	1996/06	2001/03




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
1634210412
1634210212
1634210012



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51220

MATERIAL
TYPE-1

WEIGHT
7,82 KG

BALANCING
100 %



10-51220

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303,2	51,4	26	23	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
M-CLASS (W163)	1998/02	2005/07




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1664211300
1664210012
1664210612



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51222

MATERIAL
TYPE-1

WEIGHT
11,05 KG

BALANCING
100 %



10-51222

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	54,5	32	29,4	67	112	5+3

MERCEDES-BENZ

MODEL	START Y.	END Y.
GLE (W166)	2015/04	2018/10
GLE Coupe (C292)	2015/03	2019/10
M-CLASS (W166)	2011/06	2015/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
246421271207
2464212712



AYD NO
10-51248

MATERIAL
TYPE-1

WEIGHT
9,47 KG

BALANCING
100 %



10-51248

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	51.05	30	28	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
A-CLASS (W176)	2012/06	2018/05
B-CLASS Sports Tourer (W246. W242)	2011/10	2018/12
CLA Coupe (C117)	2013/01	2019/03
CLA Shooting Brake (X117)	2015/01	2019/03
GLA-CLASS (X156)	2013/12	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
447423001207
4474232500
4474230012



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51252

MATERIAL
TYPE-1

WEIGHT
5,54 KG

BALANCING
100 %



10-51252

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
300	57,8	12	9	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
EQV (W447)	2020/06	
eVITO Tourer (W447)	2019/04	
eVITO Van (W447)	2019/03	
MARCO POLO Camper (W447)	2015/03	
V-CLASS (W447)	2014/03	
VITO Mixto (Double Cabin) (W447)	2014/10	
VITO Tourer (W447)	2014/10	
VITO Van (W447)	2014/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
34116858652
34116774986




AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51221

MATERIAL
TYPE-1

WEIGHT
6,36 KG

BALANCING
100 %



10-51221

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
293,9	44,3	22	20,4	64,15	100	4+1

MINI

MODEL	START Y.	END Y.
MINI (R50. R53)	2001/06	2006/09
MINI (R56)	2005/11	2014/01
MINI CLUBMAN (R55)	2006/10	2015/12
MINI Convertible (R57)	2007/10	2015/06
MINI Coupe (R58)	2010/12	2015/05
MINI Roadster (R59)	2011/01	2015/04




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
34116799351
34116860957



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51239

MATERIAL
TYPE-1

WEIGHT
7,92 KG

BALANCING
100 %



10-51239

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
307	45.15	24	22.4	67	112	5+1

MINI

MODEL	START Y.	END Y.
MINI (F55)	2013/09	
MINI (F56)	2013/12	
MINI CLUBMAN (F54)	2014/11	
MINI COUNTRYMAN (F60)	2016/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
D02063LG0B
402063LG0A
402063LG0B




AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-50491

MATERIAL
TYPE-1

WEIGHT
6,20 KG

BALANCING
100 %



10-50491

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
257	53,8	26	24	68	114,3	4

NISSAN

MODEL	START Y.	END Y.
NV200 / EVALIA Bus	2010/07	
NV200 Van	2010/02	



BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
402066RN0A

10-51170

AYD NO 10-51170
MATERIAL TYPE-1
WEIGHT 7,76 KG
BALANCING 100 %

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	44	26	23,4	68	114,3	5+2

NISSAN


MODEL	START Y.	END Y.
QASHQAI III (J12)	2021/04	
TOWNSTAR Box Body/MPV (XFK)	2021/12	
TOWNSTAR MPV (XFK)	2021/12	



BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51207

MATERIAL
TYPE-1

WEIGHT
7,79 KG

BALANCING
100 %



OE:
4320600Q0C

10-51207

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	51	18	15	120.1	140	8

NISSAN

MODEL	START Y.	END Y.
INTERSTAR Platform/Chassis (X62B)	2021/11	
INTERSTAR Van (X62B)	2021/11	
NV400 Platform/Chassis (X62. X62B)	2011/11	
NV400 Van (X62. X62B)	2011/11	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
432064CE0A
432066RA0A
D32064CE0A



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51217

MATERIAL
TYPE-1

WEIGHT
5,23 KG

BALANCING
100 %



10-51217

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
292	47	16	14	68	114,3	5

NISSAN

MODEL	START Y.	END Y.
LEAF (ZE1)	2017/08	
X-TRAIL III (T32_, T32R, T32RR)	2013/10	
X-TRAIL VAN (T32)	2013/10	




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4421180
93168942

10-51207



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51207

MATERIAL
TYPE-1

WEIGHT
7,79 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	51	18	15	120.1	140	8

OPEL

MODEL	START Y.	END Y.
MOVANO B Platform/Chassis (X62)	2010/05	
MOVANO B Van (X62)	2010/05	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
569050
94375416
94375533



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51247

MATERIAL
TYPE-1

WEIGHT
7,25 KG

BALANCING
100 %



10-51247

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	36	26	24.6	88	109	6+3

OPEL

MODEL	START Y.	END Y.
FRONTERA A (U92)	1992/03	1998/10
FRONTERA A Sport (U92)	1992/03	1998/10
FRONTERA B (U99)	1998/09	2004/07
MONTEREY A (M92)	1991/08	1998/07
MONTEREY B (M98)	1998/07	1999/08




BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
4246P3
1618861780
4249C0



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51140

MATERIAL
TYPE-1

WEIGHT
4,27 KG

BALANCING
100 %



10-51140

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
271,85	28	12	10	59	98	5+1

PEUGEOT

MODEL	START Y.	END Y.
807 (EB_)	2002/06	
807 Van (EB_)	2002/06	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
4683259

10-51257



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51257

MATERIAL
TYPE-1

WEIGHT
4,96 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	38.2	24	22.4	61.1	100	5

PLYMOUTH

MODEL	START Y.	END Y.
VOYAGER / GRAND VOYAGER	1995/01	2001/03



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
402062000R

10-51170



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51170

MATERIAL
TYPE-1

WEIGHT
7,76 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	44	26	23,4	68	114,3	5+2

RENAULT


MODEL	START Y.	END Y.
CAPTUR II (HF_)	2020/01	
KANGOO III Box Body/MPV	2021/06	
KANGOO III MPV	2021/07	
MEGANE IV Grandtour (K9A/M/N_)	2016/04	
MEGANE IV Hatchback (B9A/M/N_)	2015/11	
MEGANE IV Saloon	2016/10	
TALISMAN (LP_)	2015/06	2022/03
TALISMAN Grandtour (KP_)	2016/03	2022/03



BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51207

MATERIAL
TYPE-1

WEIGHT
7,79 KG

BALANCING
100 %



OE:
432067943R

10-51207

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	51	18	15	120.1	140	8

RENAULT

MODEL	START Y.	END Y.
MASTER III Platform/Chassis (EV. HV. UV)	2010/02	
MASTER III Van (FV)	2010/02	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
432064423R
432064CE0A



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51217

MATERIAL
TYPE-1

WEIGHT
5,23 KG

BALANCING
100 %



10-51217

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
292	47	16	14	68	114,3	5

RENAULT

MODEL	START Y.	END Y.
KOLEOS II (HC_)	2016/04	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
8N0615601B
8L0615601

10-51235



AYD AUTOMOTIVE INDUSTRY
AYD NO 10-51235
MATERIAL TYPE-1
WEIGHT 4,47 KG
BALANCING 100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	36,45	22	20	65	100	5+1

SEAT

MODEL	START Y.	END Y.
LEON (1M1)	1999/11	2006/06
TOLEDO II (1M2)	1998/10	2006/05



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
2Q0615301G

10-51242



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51242

MATERIAL
TYPE-1

WEIGHT
5,15 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	44.2	22	19	65	100	5+1

SEAT

MODEL	START Y.	END Y.
IBIZA V (KJ1. KJG)	2017/01	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
8N0615601B
8L0615601

10-51235



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51235

MATERIAL
TYPE-1

WEIGHT
4,47 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	36,45	22	20	65	100	5+1

SKODA

MODEL	START Y.	END Y.
OCTAVIA I (1U2)	1996/09	2010/12
OCTAVIA I Combi (1U5)	1998/07	2010/12



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
2Q0615301G

10-51242



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51242

MATERIAL
TYPE-1

WEIGHT
5,15 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	44.2	22	19	65	100	5+1

SKODA


MODEL	START Y.	END Y.
FABIA IV (PJ3)	2021/06	
KAMIQ (NW4)	2019/07	
SCALA (NW1)	2019/02	



BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51207

MATERIAL
TYPE-1

WEIGHT
7,79 KG

BALANCING
100 %



OE:
93168942

10-51207

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
302	51	18	15	120.1	140	8

VAUXHALL

MODEL	START Y.	END Y.
MOVANO Mk II (B) Chassis/Cab (X62)	2010/05	
MOVANO Mk II (B) VAN (X62)	2010/05	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
94375553
94375416
94375533



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51247

MATERIAL
TYPE-1

WEIGHT
7,25 KG

BALANCING
100 %



10-51247

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	36	26	24.6	88	109	6+3

VAUXHALL

MODEL	START Y.	END Y.
FRONTERA Mk I (A) (U92)	1991/09	1998/10
FRONTERA Mk I (A) Sport (U92)	1992/03	1998/10
FRONTERA Mk II (B) (U99)	1998/10	2004/10
MONTEREY (M92)	1991/09	1998/07
MONTEREY Mk II (M98)	1998/07	1999/08




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
30657301
306573013
306573015



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51218

MATERIAL
TYPE-1

WEIGHT
11,35 KG

BALANCING
100 %



10-51218

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
336	51,3	30	27	68	108	5+5

VOLVO

MODEL	START Y.	END Y.
XC90 I (275)	2002/06	2015/01
XC90 I VAN (275)	2002/06	2015/01




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
31400778
31471816



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51231

MATERIAL
TYPE-1

WEIGHT
7,13 KG

BALANCING
100 %



10-51231

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	43	20	17,5	63,6	108	5+1

VOLVO

MODEL	START Y.	END Y.
S90 II (234)	2016/01	
V90 II Cross Country (236)	2016/03	
V90 II Estate (235)	2016/03	
XC90 II (256)	2014/09	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
31400778
31471816



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51231

MATERIAL
TYPE-1

WEIGHT
7,13 KG

BALANCING
100 %



10-51231

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	43	20	17,5	63,6	108	5+1

VOLVO

MODEL	START Y.	END Y.
S90 II (234)	2016/01	
V90 II Cross Country (236)	2016/03	
V90 II Estate (235)	2016/03	
XC90 II (256)	2014/09	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
8N0615601B
8L0615601

10-51235



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51235

MATERIAL
TYPE-1

WEIGHT
4,47 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	36,45	22	20	65	100	5+1

VW

MODEL	START Y.	END Y.
BORA I (1J2)	1998/10	2013/12
BORA Variant (1J6)	1999/05	2005/05
GOLF IV (1J1)	1997/08	2008/04
GOLF IV Variant (1J5)	1999/05	2006/06
NEW BEETLE (9C1. 1C1)	1998/01	2010/11



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
2Q0615301G

10-51242



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51242

MATERIAL
TYPE-1

WEIGHT
5,15 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
256	44.2	22	19	65	100	5+1

VW


MODEL	START Y.	END Y.
POLO VI (AW1. BZ1. AE1)	2017/06	



BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51246

MATERIAL
TYPE-1

WEIGHT
9,48 KG

BALANCING
100 %



OE:
2N0615301A

10-51246

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
303	70.4	28	25	76	120	5+1

VW

MODEL	START Y.	END Y.
CRAFTER Bus (SYI. SYJ)	2016/09	
CRAFTER Platform/Chassis (SZ_)	2016/11	
CRAFTER Van (SY_ SX_)	2016/09	
GRAND CALIFORNIA Camper (SCB. SCC)	2019/04	
MULTIVAN T7 (STM. STN)	2021/08	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
51806278
51815312
71777095




AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51237

MATERIAL
TYPE-1

WEIGHT
6,75 KG

BALANCING
100 %



10-51237

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	39,7	26	24,2	70	110	5+5

ALFA ROMEO

MODEL	START Y.	END Y.
GIULIETTA (940_)	2010/04	2020/12
GIULIETTA Hatchback Van (940_)	2011/04	2020/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
51806278
51815312
71777095




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51237

MATERIAL
TYPE-1

WEIGHT
6,75 KG

BALANCING
100 %



10-51237

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	39,7	26	24,2	70	110	5+5

ALFA ROMEO

MODEL	START Y.	END Y.
GIULIETTA (940_)	2010/04	2020/12
GIULIETTA Hatchback Van (940_)	2011/04	2020/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality

OE:
51806278
51815312
71777095



AYD[®]
AUTOMOTIVE INDUSTRY

AYD NO
10-51237

MATERIAL
TYPE-1

WEIGHT
6,75 KG

BALANCING
100 %



10-51237

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
281	39,7	26	24,2	70	110	5+5

ALFA ROMEO

MODEL	START Y.	END Y.
GIULIETTA (940_)	2010/04	2020/12
GIULIETTA Hatchback Van (940_)	2011/04	2020/12

