



BRAKING THE DIFFERENCE

SAFETY

PERFORMANCE

OEM Standards

AYD QUALITY

OCTOBER 2025



INDEX BRAKE DISC

ACURA	3-4
AUDI	5
BMW	6
CUPRA	7
FIAT	8-9
FORD	10-12
HONDA	13
HYUNDAI	14
INFINITI	15
LEXUS	16
MAZDA	17-18
MERCEDES BENZ	19-23
MINI	24-26
NISSAN	27
POLESTAR	28
PORSCHE	29- 32
TESLA	33-35
TOYOTA	36
VOLVO	37-39
VOLKSWAGEN	40


BRAKE DISC

- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
42510TYAA01 / 42510TYBA00 /
42510TYAA00

10-51767



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51767

MATERIAL
TYPE-1

WEIGHT
6.15 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	40.1	11	9	70.2	120	5+3

ACURA

MODEL	START Y.	END Y.
MDX	2022	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
42510SJA000 / 42510SJA010

10-51791



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
310	67.1	16	14	70.2	120	5+5

ACURA

MODEL	START Y.	END Y.
LEGEND	1986/01	1991/08
LEGEND Coupe	1987/01	1991/08
LEGEND II	1991/08	1996/08
LEGEND II Coupe	1991/08	1996/08
RL	2004/10	
RL	1995/10	2004/09




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1EA615301

10-50914




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50914

MATERIAL
TYPE-1

WEIGHT
8,64 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	49.6	23	21.5	65	112	9+1

AUDI

MODEL	START Y.	END Y.
Q4 e-tron	2022	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
34216792233 / 34216864899

10-51772



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	66	20	18.4	75	120	5+1

BMW

MODEL	START Y.	END Y.
3 (F30. F80)	2011/11	2018/10
3 Gran Turismo (F34)	2012/07	
3 Touring (F31)	2012/07	2019/06
3 Touring Van (F31)	2012/07	2019/06
4 Convertible (F33. F83)	2013/10	2020/08
4 Coupe (F32. F82)	2013/07	2020/06
4 Gran Coupe (F36)	2014/03	2021/05




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1EA615301

10-50914




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50914

MATERIAL
TYPE-1

WEIGHT
8,64 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	49.6	23	21.5	65	112	9+1

CUPRA


MODEL	START Y.	END Y.
BORN (K11)	2021/08	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
6000612391 / 68313223AA

10-51762



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	44	22	20	55	100	4+1

FIAT

MODEL	START Y.	END Y.
F24 SPIDER	2017	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
68313167AA / 6000612254

10-51769




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51769

MATERIAL
TYPE-1

WEIGHT
3,87 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	35.8	9.5	7.5	55	100	4+1

FIAT

MODEL	START Y.	END Y.
F24 SPIDER	2017	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
PC3Z1125B / HC3Z1125A /
PC3Z1125C




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51771

MATERIAL
TYPE-1

WEIGHT
20,11 KG

BALANCING
100 %



10-51771

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
390.9	101.8	39	37.5	129.15	170	10

FORD

MODEL	START Y.	END Y.
F-450 Super Duty	2017	
F-550 Super Duty	2017	



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
NK4Z2C026B / NK4Z2C026A

10-51787



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51787

MATERIAL
TYPE-1

WEIGHT
8,26 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
308	58.45	18	16	110.1	143.8	5

FORD

MODEL	START Y.	END Y.
E-Transit	2022	



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
2096336 / H1BC2A315AB

10-51790



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51790

MATERIAL
TYPE-1

WEIGHT
3,68 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
253	40	12	10	63.6	108	4

FORD

MODEL	START Y.	END Y.
FIESTA VII (HJ. HF)	2017/05	



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
42510SJA010 / 42510SJA000

10-51791



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51791

MATERIAL
TYPE-1

WEIGHT
5,47 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
310	67.1	16	14	70.2	120	5+5

HONDA

MODEL	START Y.	END Y.
ELYSION (RR)	2004/05	
LEGEND II (KA) LEGEND Mk II (KA)	1991/01	1996/03
LEGEND II Coupe (KA) LEGEND Mk II Coupe (KA)	1991/01	1996/03
LEGEND III (KA) LEGEND Mk III (KA)	1996/02	2004/09
LEGEND IV (KB_)	2004/10	2013/12
ODYSSEY (RA_)	1995/10	2000/10
ODYSSEY (RL1. RA6. RA_)	1998/09	
ODYSSEY (RL3. RL4. RB)	2004/09	2010/12
SHUTTLE (RA)	1994/06	2004/06
STEPWGN (E-RF_, GF-RF_)	1996/05	2000/09




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
58411K9500

10-51781



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51781

MATERIAL
TYPE-1

WEIGHT
6,19 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
314	33	20	18	76	114.3	5+2

HYUNDAI

MODEL	START Y.	END Y.
VELOSTER (JS. JSN)	2018/01	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
40206EG000 / D0206ZA500

10-51780




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51780

MATERIAL
TYPE-1

WEIGHT
10,03 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	49.15	28	26	68	114.3	5+1

INFINITI

MODEL	START Y.	END Y.
EX	2007/09	
G Convertible	2010/09	
G Saloon	2007/01	
G Saloon	2002/08	
M37	2010/01	
M45	2001/09	2004/12
Q70 (Y51)	2013/03	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
43512F6010 / 435120E050 /
4351248130




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51773

MATERIAL
TYPE-1

WEIGHT
9,44 KG

BALANCING
100 %



10-51773

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
328	49.3	28	25	62	114.3	5+2

LEXUS


MODEL	START Y.	END Y.
ES (_Z10_ _A10_ _H10_)	2018/07	
RX (_L2_)	2015/10	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
N25133251 / 6000612391

10-51762



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	44	22	20	55	100	4+1

MAZDA

MODEL	START Y.	END Y.
MX-5 IV (ND__)	2015/04	



BRAKE DISC


- Rear Axle
- solid

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
N25126251 / 6000612254

10-51769




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51769

MATERIAL
TYPE-1

WEIGHT
3,87 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	35.8	9.5	7.5	55	100	4+1

MAZDA

MODEL	START Y.	END Y.
MX-5 IV (ND__)	2015/04	



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
9104232100 / 910423210007

10-51766



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51766

MATERIAL
TYPE-1

WEIGHT
7,59 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
298	56.2	18	16	85	130	6+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
SPRINTER 3-t Platform/Chassis (B910. B907)	2018/02	
SPRINTER 3-t Tourer Bus (B907)	2018/02	
SPRINTER 3-t Van (B910)	2018/02	
SPRINTER 3.5-t Platform/Chassis (B907. B910)	2018/02	
SPRINTER 3.5-t Tourer Bus (B907)	2018/02	
SPRINTER 3.5-t Van (B907. B910)	2018/02	
SPRINTER 4-t Platform/Chassis (B907. B910)	2018/02	
SPRINTER 4-t Tourer Bus (B907)	2018/02	
SPRINTER 4-t Van (B907. B910)	2018/02	
SPRINTER 5-t Platform/Chassis (B907)	2018/02	
SPRINTER 5-t Tourer Bus (B907)	2019/09	



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
1244230512 / 2014230512 /
1244230612

10-51770



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51770

MATERIAL
TYPE-1

WEIGHT
3,75 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
278	55.25	9	7.3	67	112	5+2

MERCEDES-BENZ

MODEL	START Y.	END Y.
124 Convertible (A124)	1991/09	1993/06
124 Coupe (C124)	1987/03	1993/07
124 Saloon (W124)	1984/12	1993/08
124 T-Model (S124) 124 Break (S124)	1985/09	1993/12
C-CLASS (W202)	1993/03	2000/05
C-CLASS (W203)	2000/05	2007/12
C-CLASS Coupe (CL203)	2001/03	2011/06
C-CLASS T-Model (S202) C-CLASS Break (S202)	1996/06	2001/03
CLC-CLASS (CL203)	2008/05	2011/06
CLK (C208)	1997/06	2003/12
CLK (C209)	2002/05	2010/03



BRAKE DISC


- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
1674238900 / 167423890007

10-51779




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51779

MATERIAL
TYPE-1

WEIGHT
8,87 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
345	54.1	22	19.4	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
GLE (V167)	2018/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
000421161207 / 0004211612 /
0004211412



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51782

MATERIAL
TYPE-1

WEIGHT
11,92 KG

BALANCING
100 %



10-51782

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
344	64.6	32	30	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
E550	2010	
C300	2008	
C250	2012	



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
2474230312 / 247423031207

10-51788




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51788

MATERIAL
TYPE-1

WEIGHT
5,96 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	44	12	10.3	67	112	5+1

MERCEDES-BENZ

MODEL	START Y.	END Y.
EQB (X243)	2021/09	



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
34219808513 / 34219811540

10-51765



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51765

MATERIAL
TYPE-1

WEIGHT
4,77 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
296	50.3	10	8.4	79	120	5+1

MINI

MODEL	START Y.	END Y.
MINI COUNTRYMAN (R60)	2010/08	2016/10
MINI PACEMAN (R61)	2012/03	2016/10



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
34106784366 / 34116855781

10-51777



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51777

MATERIAL
TYPE-1

WEIGHT
7,72 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
316	45.2	22	20.4	64.15	100	4+1

MINI

MODEL	START Y.	END Y.
MINI (R56)	2005/11	2014/01
MINI CLUBMAN (R55)	2006/10	2015/12
MINI Convertible (R57)	2007/10	2015/06
MINI Coupe (R58)	2010/12	2015/05
MINI Roadster (R59)	2011/01	2015/04




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
34116865711 / 34106881045 /
34106891081

10-51778




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51778

MATERIAL
TYPE-1

WEIGHT
11,22 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
335	45	30	28.4	67	112	5+1

MINI

MODEL	START Y.	END Y.
MINI (F56)	2013/12	
MINI CLUBMAN (F54)	2014/11	
MINI Convertible (F57)	2014/11	
MINI COUNTRYMAN (F60)	2016/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
40206EG000 / D0206ZA500 /
402061AA0A




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51780

MATERIAL
TYPE-1

WEIGHT
10,03 KG

BALANCING
100 %



10-51780

Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	49.15	28	26	68	114.3	5+1

NISSAN

MODEL	START Y.	END Y.
350Z Coupe (Z33)	2002/09	2009/12
370Z Coupe (Z34)	2009/01	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
32300814

10-51763




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51763

MATERIAL
TYPE-1

WEIGHT
12,96 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	43	20	17.5	63.6	107.95	5+1

POLESTAR

MODEL	START Y.	END Y.
POLESTAR 2 (534)	2019/02	




BRAKE DISC

• Left Rear


• Vented

- Safety
- Performance
- OEM Standarts
- AYD Quality



OE:
99635240502

10-51783



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51783

MATERIAL
TYPE-1

WEIGHT
9,1 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	75.1	28	26	98.2	130	5+2

PORSCHE

MODEL	START Y.	END Y.
911 (991)	2011/05	2020/12
911 (996)	1997/08	2005/09
911 (997)	2004/07	2013/12
911 Convertible (991)	2012/03	2020/05
911 Convertible (996)	1997/08	2005/08
911 Convertible (997)	2005/04	2013/12
911 Targa (991)	2014/05	2019/12
911 Targa (997)	2006/07	2012/12



BRAKE DISC



• Right Rear

• Vented

• Safety
• Performance
• OEM Standards
• AYD Quality

OE:
99635240602

10-51784




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51784

MATERIAL
TYPE-1

WEIGHT
9,1 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	75.1	28	26	98.2	130	5+2

PORSCHE

MODEL	START Y.	END Y.
911 (991)	2011/05	2020/12
911 (996)	1997/08	2005/09
911 (997)	2004/07	2013/12
911 Convertible (991)	2012/03	2020/05
911 Convertible (996)	1997/08	2005/08
911 Convertible (997)	2005/04	2013/12
911 Targa (991)	2014/05	2019/12
911 Targa (997)	2006/07	2012/12




BRAKE DISC

• Left Front


• Vented

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
99735140100 / 99735140101

10-51785



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51785

MATERIAL
TYPE-1

WEIGHT
9,36 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	69.1	28	26	98.1	130	5+2

PORSCHE

MODEL	START Y.	END Y.
718 BOXSTER (982)	2016/04	
718 CAYMAN (982)	2016/04	
911 (991)	2011/05	2020/12
911 (997)	2004/07	2013/12
911 Convertible (991)	2012/03	2020/05
911 Convertible (997)	2005/04	2013/12
911 Targa (991)	2014/05	2019/12
911 Targa (997)	2006/07	2012/12
BOXSTER (981)	2012/04	2016/12
CAYMAN (981)	2013/03	2016/12



BRAKE DISC

• Right Front


• Vented

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
99735140200 / 99735140201

10-51786



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51786

MATERIAL
TYPE-1

WEIGHT
9,36 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	69.1	28	26	98.1	130	5+2

PORSCHE

MODEL	START Y.	END Y.
718 BOXSTER (982)	2016/04	
718 CAYMAN (982)	2016/04	
911 (991)	2011/05	2020/12
911 (997)	2004/07	2013/12
911 Convertible (991)	2012/03	2020/05
911 Convertible (997)	2005/04	2013/12
911 Targa (991)	2014/05	2019/12
911 Targa (997)	2006/07	2012/12
BOXSTER (981)	2012/04	2016/12
CAYMAN (981)	2013/03	2016/12




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
104461100D

10-51774




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51774

MATERIAL
TYPE-1

WEIGHT
9,73 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
320	68.1	25	23	70.2	114.3	5+5

TESLA

MODEL	START Y.	END Y.
MODEL 3 (5YJ3)	2017/01	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
104463100D

10-51775




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51775

MATERIAL
TYPE-1

WEIGHT
7,75 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
335	46.8	20	18	70.2	114.3	5+5

TESLA

MODEL	START Y.	END Y.
MODEL 3 (5YJ3)	2017/01	




BRAKE DISC

- Rear Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
118863100A

10-51776



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51776

MATERIAL
TYPE-1

WEIGHT
7,28 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
335	46.9	20	18	70.2	114.3	5+5

TESLA

MODEL	START Y.	END Y.
MODEL Y (5YJY)	2019/03	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
4351248130

10-51773



AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-51773

MATERIAL
TYPE-1

WEIGHT
9,44 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
328	49.3	28	25	62	114.3	5+2

TOYOTA

MODEL	START Y.	END Y.
CAMRY (_V7_. _VA7_. _VH7_)	2017/06	
RAV 4 V (_A5_. _H5_)	2018/12	
RAV 4 V VAN (_A5_. _H5_)	2018/12	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
31400779 / 31687441

10-51763



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
340	43	20	17.5	63.6	107.95	5+1

VOLVO

MODEL	START Y.	END Y.
C40 (539)	2021/10	
EC40 (539)	2024/04	
EX40 (536)	2024/04	
XC90 II (256)	2014/09	



BRAKE DISC


- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality



OE:
30736313 / 30769057 / 31499996

10-51764



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
336	52	28	26	63.6	107.95	5+1

VOLVO

MODEL	START Y.	END Y.
S60 II (134)	2010/04	2019/12
S60 II Cross Country (134)	2015/03	2018/12
S80 II (124)	2006/03	2016/12
V60 I (155)	2010/07	2018/12
V60 I Estate Van (155)	2013/09	2015/12
V70 III (135)	2007/04	2016/04
V70 III Estate Van (135)	2013/09	2015/12
XC70 II (136)	2007/04	2016/12
XC70 II VAN (136)	2007/04	2016/12



BRAKE DISC

• Rear Axle


• solid

• Safety
• Performance
• OEM Standards
• AYD Quality



OE:
31471476 / 32300124

10-51768



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
280	37	12	9	63.65	107.95	5+1

VOLVO

MODEL	START Y.	END Y.
XC40 (536)	2017/10	




BRAKE DISC

- Front Axle
- Vented

- Safety
- Performance
- OEM Standards
- AYD Quality

OE:
1EA615301

10-50914




AYD
AUTOMOTIVE INDUSTRY

AYD NO
10-50914

MATERIAL
TYPE-1

WEIGHT
8,64 KG

BALANCING
100 %



Technical Specifications:

Diameter (mm)	Height (mm)	Brake Disc Thickness (mm)	Min. Thickness (mm)	Centering Diameter (mm)	Bolt Hole Circle (mm)	Num. of Holes
330	49.6	23	21.5	65	112	9+1

VW

MODEL	START Y.	END Y.
ID.3 (E11. E12)	2019/11	

